

# DRY STONEWARE GLAZES

## SAFETY DATA SHEET (SDS)

Version: 01

Date of Issue: August 28, 2020

According to: OSHA Hazard Communication Standard 29  
CFR 1910.1200(g) Rev. 2012

### Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

Product Name: Dry Stoneware Glazes [(Corovan (SD128)]

Product Description: Powder formulations (5 lbs per color) intended to be used for arts and crafts purposes.

#### 1.2 Relevant identified uses of the substance or mixture

Relevant identified use(s): Use product for its intended purpose as a glaze product intended for arts and crafts purposes. This product is intended for small batch use.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Coloramics LLC  
4077 Weaver Court South  
Hilliard, OH 43026

Business Phone: 614-675-1171

Email: info@maycocolors.com

#### 1.4 Emergency telephone number

Emergency Telephone: Contact the local poison control centre.

### Section 2 – Hazard(s) Identification

#### 2.1. Classification of the substance or mixture

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Health	Environmental	Physical
Specific Target Organ Toxicity – Repeated Exposure (Category 2), H373  Carcinogenicity (Category 1A), H350i	Not classified	Not classified

#### 2.2. Label elements



Hazard statements & Precautions:

Signal Word: Danger

Hazard statements & Precautions:

**Specific Target Organ Toxicity (Category 2)**

**Causes damage to organs through prolonged or repeated exposure.**  
Do not breathe dust/fume/gas/mist/vapors/spray. (P260)  
Get medical advice/attention if you feel unwell. (P314)  
Dispose of contents/container in accordance with local, regional, national, and/or international regulations. (P501)

**Carcinogenicity (Category 1Ai)**

**May cause cancer by inhalation.**  
Obtain special instructions before use. (P201)  
Do not handle until all safety precautions have been read and understood. (P202)  
Do not breathe dust. (P260)  
Use personal protective equipment as required. (P281)  
IF exposed or concerned: Get medical advice/attention. (P308+P313)  
Store locked up. (P405)  
Dispose of contents/container in accordance with local, regional, national, and/or international regulations. (P501)

**2.3. Other hazards**

- Mechanical irritation of the eyes and respiratory system may occur following exposure dusts.

**Section 3 – Composition / Information on Ingredients<sup>a</sup>**

**Mixture**

<u>Chemical Name</u>	<u>CAS No.</u>	<u>EINECS No.</u>	<u>% Weight</u>
Quartz (crystalline silica)	14808-60-7	238-878-4	0.1478226%
Lithium carbonate	554-13-2	209-062-5	5.872952%

<sup>a</sup> the remaining ingredients in the product are considered non-hazardous and were therefore not disclosed in the SDS.

**Section 4 – First Aid Measures**

**4.1 Description of first aid measures**

**Eye contact:** No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. Seek medical attention if in doubt.

**Skin contact:** No specific first aid measures are required. Wash skin thoroughly with soap and water. If skin irritation or rash occurs get medical attention. Launder contaminated clothing before reuse.

**Inhalation:** IF INHALED: Inhaling dust may cause discomfort in the chest, respiratory irritation, shortness of breath and coughing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

**Ingestion:** No specific first aid measures are required. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.

**4.2 Most important symptoms and effects, both acute and delayed**

- Refer to **Section 11** - Toxicological Information.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Not required

## Section 5 – Fire Fighting Measures

### 5.1 Extinguishing media

**Suitable Extinguishing Media:** Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, water spray, foam, dry chemical or carbon dioxide).

**Unsuitable Extinguishing Media:** None known

### 5.2 Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards:** Container may rupture on heating. See also **Section 10** - Stability and Reactivity.

### 5.3 Advice for firefighters

- Wear a self-contained breathing apparatus.

## Section 6 – Accidental Release Measures

### 6.1 Personal precautions, protective equipment (PPE) and emergency procedures

**Personal Precautions:** Avoid dust formation. Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in **Section 8** – Exposure Controls/Personal Protection.

**Emergency Procedures:** Evacuate personnel to safe areas.

### 6.2 Environmental precautions:

- Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

### 6.3 Methods and material for containment and cleaning up

**Containment/Clean-up Measures:** Contain spill if safe to do so. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Dispose of contents/container in accordance with local/regional/national/international regulations.

### 6.4 Reference to other sections

- Refer to **Section 8** - Exposure Controls/Personal Protection and **Section 13** – Disposal Considerations.

## Section 7– Handling and Storage

### 7.1 Precautions for safe handling

- Avoid contact with skin and eyes. Avoid breathing dust. Provide adequate ventilation. Observe good industrial hygiene practices. When using do not eat, drink or smoke. Wear appropriate personal protective equipment. Keep containers closed and locked away in a well-ventilated space when not in use. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse.
- Refer to **Section 8** - Exposure Controls/Personal Protection

### 7.2 Conditions for safe storage, including any incompatibilities

- Keep from freezing. Do not store in open, unlabeled or mislabeled containers. Keep container tightly closed and dry. Store away from incompatible materials. Store locked up. See **Section 10** for incompatible materials.

### 7.3 Specific end use(s)

- Refer to **Section 1.2** - Relevant identified uses.

## Section 8– Exposure Controls / Personal Protection

### 8.1 Control Parameters:

Occupational exposure limits:

Chemical Name	CAS No.	ACGIH TLVs TWA (mg/m <sup>3</sup> )	OSHA PELs TWA (mg/m <sup>3</sup> )	NIOSH RELs TWA (mg/m <sup>3</sup> )	DFG MAK TWA (mg/m <sup>3</sup> )
Quartz (crystalline silica)	14808-60-7	0.025	0.05	0.05	Not applicable
Lithium carbonate	554-13-2	Not applicable	Not applicable	Not applicable	Not applicable

### 8.2 Exposure Controls:

Appropriate engineering controls

- No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required. In case of dust formation use a respirator with an approved filter.

### 8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

<b>Respiratory:</b>	Use appropriate respiratory protection when handling to minimize exposure to dust particles. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.
<b>Eyes/Face:</b>	If contact is likely, safety glasses with side shields are recommended. An eyewash bottle or station should be available in the workplace. Wear a face shield if splash or spray is likely.
<b>Hands:</b>	Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur, wear chemically protective gloves.
<b>Body/Skin:</b>	Wear chemically impervious gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material.
<b>Thermal Hazards:</b>	None known.
<b>Environmental Exposure Controls:</b>	Not available.
<b>Hygiene measures:</b>	Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse. When using the product do not eat, drink or smoke.

## Section 9 – Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

<b>Appearance:</b> <b>Physical state:</b> <b>Form:</b> <b>Color:</b> <b>Odor:</b>	Dry Powder Powder See section 1.1 Not available	<b>Partition Coefficient n-octanol/water:</b> <b>Auto-ignition temperature:</b>	Not available Not available
<b>Odor threshold:</b>	Not available	<b>Decomposition temperature:</b>	Not available
<b>pH (as supplied):</b>	Not available	<b>Dynamic viscosity:</b>	Not available

<b>Freezing point:</b>	Not available	<b>Molecular weight:</b>	Not available
<b>Boiling point:</b>	Not available	<b>Taste:</b>	Not available
<b>Flash point:</b>	Not available	<b>Explosive properties:</b>	Not available
<b>Evaporation rate:</b>	Not available	<b>Oxidizing properties:</b>	Not available
<b>Flammability:</b>	Not available	<b>Surface tension:</b>	Not available
<b>Upper/lower explosive limits:</b>	Not available	<b>Gas group:</b>	Not available
<b>Vapor pressure:</b>	Not available	<b>pH (as solution):</b>	Not available
<b>Water solubility:</b>	Not available	<b>VOC:</b>	Not available
<b>Solubility (other):</b>	Not available	<b>Particle size range:</b>	Not available
<b>Vapor density (Air = 1):</b>	Not available	<b>Specific gravity (Water = 1):</b>	Not available
<b>Relative density:</b>	Not available		

## 9.2 Other information

- No data available.

## Section 10 – Stability and Reactivity

### 10.1 Reactivity

- No data available.

### 10.2 Chemical stability

- This material is considered stable under normal handling and storage conditions.

### 10.3 Possibility of hazardous reactions

- None known.

### 10.4 Conditions to avoid

- Keep away from heat, sparks, flame and other ignition sources.

### 10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidizing agents
- Strong reducing agents

### 10.6 Hazardous decomposition products

- Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids.

## Section 11 – Toxicological Information

**Likely routes of exposure:** Skin/eye contact, inhalation of dusts.

**Potential signs and symptoms:**

**Acute oral toxicity:**

Lithium carbonate (CAS No. 554-13-2) has been classified for acute oral toxicity (Category 4). The product is practically nontoxic based on available data. The oral acute toxicity estimate (ATE) for the whole product is >5000 mg/kg.

**Acute dermal toxicity:**

Practically non-toxic based on available data.

**Acute inhalation toxicity:**

Practically non-toxic based on available data.

**Skin corrosion/irritation:**

The components in this product are not irritating to the skin based on animal studies and available data. Wash thoroughly if on skin.

<b>Serious eye damage/irritation:</b>	Lithium carbonate (CAS No. 554-13-2) has been classified for eye irritation (Category 2). The remaining components in this product are not irritating to the eyes based on animal studies and available data. Irritation may occur if powder gets into the eyes. Signs and symptoms include but are not limited to: dryness, itchiness, pain, and redness. Wash eyes thoroughly following eye contact and wear proper PPE to minimize dust exposure.
<b>Respiratory or skin sensitization:</b>	The components in this product are not sensitizing to the skin or respiratory system based on available data.
<b>Mutagenicity:</b>	The components of this product are not classified with respect to mutagenicity by the IARC, NTP, and ACGIH.
<b>Carcinogenicity:</b>	Quartz (crystalline silica) (CAS No. 14808-60-7) is listed in Group 1 by IARC. Quartz (crystalline silica) is listed as a carcinogen by NTP and ACGIH. No other components are classified with respect to carcinogenicity by the IARC, NTP, and ACGIH.
<b>Reproductive Toxicity:</b>	Lithium carbonate (CAS No. 554-13-2) has been classified for reproductive toxicity (Category 1B). The remaining components in this product are not reproductive hazards based on available information, human and/or animal studies.
<b>Specific target organ toxicity (single exposure):</b>	Lithium carbonate (CAS No. 554-13-2) has been classified for specific target organ toxicity (single exposure, Category 3; may cause respiratory irritation). The remaining components in this product are not single exposure specific target organ toxicity hazards based on available information, human and/or animal studies.
<b>Specific target organ toxicity (repeated exposure):</b>	Quartz (crystalline silica) (CAS No. 14808-60-7) and lithium carbonate (CAS No. 554-13-2), have been classified as repeated exposure specific target organ toxicants. Extended inhalation of silica at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis). Signs and symptoms include but are not limited to: difficulty breathing and coughing. The other components in this product are not repeated exposure specific target organ toxicity hazards based on available information, human and/or animal studies.
<b>Aspiration hazard:</b>	The components of this product are not aspiration hazards based on available information, human and/or animal studies.

**References:**

ECHA. 2020. REACH Registered Substances Database.  
International Agency for Research on Cancer

## Section 12 – Ecological Information

### 12.1 Toxicity

Chemical Name	CAS No.	Species	Test Results (mg/L)
Lithium carbonate	554-13-2	Daphnia magna:	EC <sub>50</sub> = 33.2 mg/L (48-hr)
		Rainbow trout:	LC <sub>50</sub> = 30.3 mg/L (96-hr)

### 12.2 Persistence and degradability

- No product data available.

### 12.3 Bioaccumulative potential

- Lithium salts are not bioaccumulative.

### 12.5 Results of PBT and vPvB assessment

- No data available.

### 12.6 Other adverse effects

- No further data available.

## Section 13 – Disposal Considerations

### 13.1 Waste treatment methods

**Preparing wastes for disposal:** Use product for its intended purpose or recycle if possible. Dispose of waste in accordance with local, regional, national, and/or international regulations. The empty container has residues which may exhibit hazards of the product.

**Contaminated Packaging:** Container packaging may exhibit hazards.

## Section 14 – Transport Information

Note: This product is not regulated as dangerous goods for transport. Review classification requirements before shipping materials at elevated temperatures.

	ADR/RID/ADNR/DOT	IMO/IMDG	ICAO/IATA
14.1 UN number	Not regulated	Not regulated	Not regulated
14.2 UN proper shipping name	Not regulated	Not regulated	Not regulated
14.3 Transport hazard class(es)	Not regulated	Not regulated	Not regulated
14.4 Packing group	Not regulated	Not regulated	Not regulated
14.5 Environmental hazards	None	None	None
14.6 Special precautions for user	None		

## Section 15 – Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### United States

#### **Federal Regulations:**

**Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):**

**Clean Water Act (CWA):** No components in this product are listed as toxic pollutants.

**Clean Air Act (CAA):** No components in this product are listed under the CAA.

**Superfund Amendments and Reauthorization Act (SARA) Title III Information:**

**SARA 302 Components:** No components in this product are subject to reporting requirements of S.302.

**SARA 304 Emergency Release Notification:** None.

**SARA 311/312 Hazards:** None.

**SARA 313 Components:** Lithium carbonate (CAS No. 554-13-2) is subject to reporting requirements of S.313.

**Toxic Substances Control Act (TSCA):** All components are listed on the non-confidential TSCA inventory or are exempt.

**State Regulations:**

**California:** Quartz (crystalline silica) [(listed as silica, crystalline (airborne particles of respirable size))] is listed on the California Proposition 65 List, as a chemical known to the State of California to cause cancer. The product contains respirable particles of <10 µm in size. Therefore, the listed form of quartz (crystalline silica) is relevant for the product.

Lithium carbonate (CAS No. 554-13-2) is listed on the California Proposition 65 List, as a chemical known to the State of California to cause reproductive and developmental toxicity. No other components of the product are listed.

**Canada**

**CEPA DSL/NDSL:** The components of this product are included on the DSL or are exempt from DSL/NDSL requirements

**International:**

**IARC:** Quartz (crystalline silica) (CAS No. 14808-60-7) is listed in Group 1. No other components of this product are classified with respect to carcinogenicity.

**15.2 Chemical Safety Assessment**

- None available for the components in this product.

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

**Section 16 – Other Information**

**List of acronyms and abbreviations:**

ACGIH: American Conference of Governmental Industrial Hygienists	IMO: International Maritime Organization
ADR: International Carriage of Dangerous Goods by Road	MAK: Maximale Arbeitsplatz-Konzentration
ADNR: Regulation for the carriage of dangerous substances on the Rhine	MARPOL: Maritime Pollution
ATE: Acute Toxicity Estimate	mg/L: Milligrams per Liter
CAA: Clean Air Act	NDSL: Non-Domestic Substance List
CAS: Chemical Abstract Service Number	NTP: National Toxicology Program
CEPA: Canadian Environmental Protection Act	OSHA: Occupational Safety and Health Administration
CERCLA: Comprehensive Environmental Response and Liability Act	PBT: Persistent, Bioaccumulative and Toxic
CWA: Clean Water Act	PPE: Personal Protective Equipment
DSL: Domestic Substance List	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
DFG: Deutsche Forschungsgemeinschaft	RID: International rule for transport of dangerous
ECHA: European Chemicals Agency	SARA: Superfund Amendment and Reauthorization Act
EINECS: European Inventory of Existing Chemical Substances	SDS: Safety Data Sheet
GHS: Global Harmonized System	TSCA: Toxic Substances Control Act
IARC: International Agency for Research on Cancer	TWA: Time Weighted Average (8-hour)
IATA: International Air Transport Association	UN: United Nations
ICAO: International Civil Aviation Organization	vPvB: very Persistent, very Bioaccumulative
IMDG: International Maritime Dangerous Goods	vPvB: very Persistent, very Bioaccumulative

**References:**

- European Chemicals Agency (ECHA) Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- International Agency for Research on Cancer (IARC).



**Disclaimer:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Revision Indicator:** This is a new Safety Data Sheet.

**Creation Date:** August 28, 2020