

DRY STONEWARE GLAZES

SAFETY DATA SHEET (SDS)

Version: 01

Date of Issue: August 28, 2020

According to: OSHA Hazard Communication Standard 29
CFR 1910.1200(g) Rev. 2012

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name: Dry Stoneware Glazes
MATTE CLEAR (SD002), CRACKLE (SD003), MATTE MAYCOSHINO (SD124), COPPER ORE (SD133), CRACKLE WHITE (SD149), LILAC MATTE (SD158), BLUE MATTE (SD159), CHARTRUSE MATTE (SD160), YELLOW MATTE (SD161), PINK MATTE (SD162), SOFT READ MATTE (SD163), MACADAMIA (SD172), AMBER QUARTZ (SD173), LEATHER (SD174), SANDSTONE (SD176), LIGHT MAGMA (SD405), DARK MAGMA (SD406)

Product Description: Powder formulations (5 lbs per color) intended to be used for arts and crafts purposes.

1.2 Relevant identified uses of the substance or mixture

Relevant identified use(s): Use product for its intended purpose as a glaze product intended for arts and crafts purposes. This product is intended for small batch use.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Coloramics LLC
4077 Weaver Court South
Hilliard, OH 43026

Business Phone: 614-675-1171
Email: info@maycocolors.com

1.4 Emergency telephone number

Emergency Telephone: Contact the local poison control centre.

Section 2 – Hazard(s) Identification

2.1. Classification of the substance or mixture

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Health	Environmental	Physical
Specific Target Organ Toxicity – Repeated Exposure (Category 2), H373 Carcinogenicity (Category 1A), H350i	Not classified	Not classified

2.2. Label elements



Signal word: Danger

Hazard statements & Precautions:

Signal Word: Danger

Hazard statements & Precautions:

**Specific Target Organ
Toxicity (Category 2)**

Causes damage to organs through prolonged or repeated exposure.

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Get medical advice/attention if you feel unwell. (P314)

Dispose of contents/container in accordance with local, regional, national, and/or international regulations. (P501)

**Carcinogenicity
(Category 1Ai)**

May cause cancer by inhalation.

Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood. (P202)

Do not breathe dust. (P260)

Use personal protective equipment as required. (P281)

IF exposed or concerned: Get medical advice/attention. (P308+P313)

Store locked up. (P405)

Dispose of contents/container in accordance with local, regional, national, and/or international regulations. (P501)

2.3. Other hazards

- Mechanical irritation of the eyes and respiratory system may occur following exposure dusts.

Section 3 – Composition / Information on Ingredients^a

Mixture

<u>Chemical Name</u>	<u>CAS No.</u>	<u>EINECS No.</u>	<u>% Weight</u>
Quartz (crystalline silica)	14808-60-7	238-878-4	up to 0.605%
Zinc oxide	1314-13-2	215-222-5	up to 5.145592%
6021 Zircon, Cadmium Red	72828-62-7	Not available	up to 2.921168%
Trisodium hexafluoroaluminate	13775-53-6	237-410-6	up to 17.147885%

^a the remaining ingredients in the product are considered non-hazardous and were therefore not disclosed in the SDS.

Section 4 – First Aid Measures

4.1 Description of first aid measures

Eye contact: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. Seek medical attention if in doubt.

Skin contact: No specific first aid measures are required. Wash skin thoroughly with soap and water. If skin irritation or rash occurs get medical attention. Launder contaminated clothing before reuse.

Inhalation: IF INHALED: Inhaling dust may cause discomfort in the chest, respiratory irritation, shortness of breath and coughing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

Ingestion: No specific first aid measures are required. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to **Section 11** - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

- Not required

Section 5 – Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, water spray, foam, dry chemical or carbon dioxide).

Unsuitable Extinguishing Media: None known.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards: Container may rupture on heating. See also **Section 10** - Stability and Reactivity.

5.3 Advice for firefighters

- Wear a self-contained breathing apparatus.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Avoid dust formation. Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in **Section 8** – Exposure Controls/Personal Protection.

Emergency Procedures: Evacuate personnel to safe areas.

6.2 Environmental precautions:

- Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

- Refer to **Section 8** - Exposure Controls/Personal Protection and **Section 13** – Disposal Considerations.

Section 7– Handling and Storage

7.1 Precautions for safe handling

- Avoid contact with skin and eyes. Avoid breathing dust. Provide adequate ventilation. Observe good industrial hygiene practices. When using do not eat, drink or smoke. Wear appropriate personal protective equipment. Keep containers closed and locked away in a well-ventilated space when not in use. Wash

thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse.

- Refer to **Section 8** - Exposure Controls/Personal Protection

7.2 Conditions for safe storage, including any incompatibilities

- Keep from freezing. Do not store in open, unlabeled or mislabeled containers. Keep container tightly closed and dry. Store away from incompatible materials. Store locked up. See **Section 10** for incompatible materials.

7.3 Specific end use(s)

- Refer to **Section 1.2** - Relevant identified uses.

Section 8– Exposure Controls / Personal Protection

8.1 Control Parameters:

Occupational exposure limits:

Chemical Name	CAS No.	ACGIH TLVs TWA (mg/m ³)	OSHA PELs TWA (mg/m ³)	NIOSH RELs TWA (mg/m ³)	DFG MAK TWA (mg/m ³)
Quartz (crystalline silica)	14808-60-7	0.025	0.05	0.05	Not applicable
Zinc oxide	1314-13-2	2	15 (total dust) 5 (respirable fraction)	5 (dust only)	0.1 (respirable)
6021 Zircon, Cadmium Red	72828-62-7	Not applicable	Not applicable	Not applicable	Not applicable
Trisodium hexafluoroaluminate	13775-53-6	2.5 (as fluoride)	2.5 (as fluoride)	Not applicable	Not applicable

8.2 Exposure Controls:

Appropriate engineering controls

- No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required. In case of dust formation use a respirator with an approved filter.

8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

Respiratory:	Use appropriate respiratory protection when handling to minimize exposure to dust particles. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.
Eyes/Face:	If contact is likely, safety glasses with side shields are recommended. An eyewash bottle or station should be available in the workplace. Wear a face shield if splash or spray is likely.
Hands:	Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur, wear chemically protective gloves.
Body/Skin:	Wear chemically impervious gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material.
Thermal Hazards:	None known.
Environmental Exposure Controls:	Not available.

Hygiene measures:

Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse. When using the product do not eat, drink or smoke.

Section 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

Appearance: Physical state: Form: Color: Odor:	Dry Powder Powder See section 1.1 No odor	Partition Coefficient n-octanol/water: Auto-ignition temperature:	Not available Not available
Odor threshold:	Not available	Decomposition temperature:	Not available
pH (as supplied):	Not available	Dynamic viscosity:	Not available
Freezing point:	Not available	Molecular weight:	Not available
Boiling point:	Not available	Taste:	Not available
Flash point:	Not available	Explosive properties:	Not available
Evaporation rate:	Not available	Oxidizing properties:	Not available
Flammability:	Not available	Surface tension:	Not available
Upper/lower explosive limits:	Not available	Gas group:	Not available
Vapor pressure:	Not available	pH (as solution):	8 - 10
Water solubility:	Not available	VOC:	Not available
Solubility (other):	Not available	Particle size range:	D50 of 10 µm
Vapor density (Air = 1):	Not available	Specific gravity (Water = 1):	Not available
Relative density:	Not available		

9.2 Other information

- No data available.

Section 10 – Stability and Reactivity

10.1 Reactivity

- No data available.

10.2 Chemical stability

- This material is considered stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

- None known.

10.4 Conditions to avoid

- Keep away from heat, sparks, flame and other ignition sources.

10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidizing agents
- Strong reducing agents

10.6 Hazardous decomposition products

- Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids.

Section 11 – Toxicological Information

Likely routes of exposure: Skin/eye contact, inhalation of dusts.

Potential signs and symptoms:

Acute oral toxicity:	Zircon, cadmium red (CAS No. 72828-62-7) has been classified for acute oral toxicity (Category 4). The product is practically nontoxic based on available data. The oral acute toxicity estimate (ATE) for the whole product is >5000 mg/kg.
Acute dermal toxicity:	6021 Zircon, cadmium red (CAS No. 72828-62-7) has been classified for acute dermal toxicity. The product is practically non-toxic based on available data.
Acute inhalation toxicity:	Trisodium hexafluoroaluminate (CAS No. 13775-53-6) has been classified for acute inhalation toxicity (Category 4). The product is practically non-toxic based on available data.
Skin corrosion/irritation:	The components in this product are not irritating to the skin based on animal studies and available data. Wash thoroughly if on skin.
Serious eye damage/irritation:	The components in this product are not irritating to the eyes based on animal studies and available data. Irritation may occur if powder gets into the eyes. Signs and symptoms include but are not limited to: dryness, itchiness, pain, and redness. Wash eyes thoroughly following eye contact and wear proper PPE to minimize dust exposure.
Respiratory or skin sensitization:	Zircon, cadmium red (CAS No. 72828-62-7) has been classified for both respiratory and skin sensitization. The other components in this product are not sensitizing to the skin or respiratory system based on available data.
Mutagenicity:	The components of this product are not classified with respect to mutagenicity by the IARC, NTP, and ACGIH.
Carcinogenicity:	Quartz (crystalline silica) (CAS No. 14808-60-7) is listed in Group 1 by IARC. Quartz (crystalline silica) is listed as a carcinogen by NTP and ACGIH. No other components are classified with respect to carcinogenicity by the IARC, NTP, and ACGIH.
Reproductive Toxicity:	Trisodium hexafluoroaluminate (CAS No. 13775-53-6) has been classified for reproductive toxicity (may cause harm to breast fed children). No other components in this product are not reproductive hazards based on available information, human and/or animal studies.
Specific target organ toxicity (single exposure):	The components in this product are not single exposure specific target organ toxicity hazards based on available information, human and/or animal studies.
Specific target organ toxicity (repeated exposure):	Quartz (crystalline silica) (CAS No. 14808-60-7) and trisodium hexafluoroaluminate (CAS No. 13775-53-6) have been classified as a repeated exposure specific target organ toxicity hazard. Extended inhalation of quartz (crystalline silica) at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis). Signs and symptoms include but are not limited to: difficulty breathing and coughing. The other components in this product are not repeated exposure specific target organ toxicity hazards based on available information, human and/or animal studies.
Aspiration hazard:	The components of this product are not aspiration hazards based on available information, human and/or animal studies.

References:

ECHA. 2020. REACH Registered Substances Database.
International Agency for Research on Cancer.

Section 12 – Ecological Information

12.1 Toxicity

Chemical Name	CAS No.	Species	Test Results (mg/L)
Zinc oxide	1314-13-2	Selenastrum capricornutum	CE ₅₀ =170 (72-hour)
Trisodium hexafluoroaluminate	13775-53-6	Brachydanio rerio	LC ₅₀ = 99 (96-hr)
		Daphnia magna	LC ₅₀ = 156 (48-hr)
		Selenastrum capricornutum	ErC ₅₀ = 8.8 (72-hr)

12.2 Persistence and degradability

- No product data available.

12.3 Bioaccumulative potential

- No product data available.

12.4 Mobility in Soil

- No data available.

12.5 Results of PBT and vPvB assessment

- No data available.

12.6 Other adverse effects

- No further data available.

Section 13 – Disposal Considerations

13.1 Waste treatment methods

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Dispose of waste in accordance with local, regional, national, and/or international regulations. The empty container has residues which may exhibit hazards of the product.

Contaminated Packaging: Container packaging may exhibit hazards.

Section 14 – Transport Information

Note: This product is not regulated as dangerous goods for transport. Review classification requirements before shipping materials at elevated temperatures.

	ADR/RID/ADNR/DOT	IMO/IMDG	ICAO/IATA
14.1 UN number	Not regulated	Not regulated	Not regulated
14.2 UN proper shipping name	Not regulated	Not regulated	Not regulated
14.3 Transport hazard class(es)	Not regulated	Not regulated	Not regulated
14.4 Packing group	Not regulated	Not regulated	Not regulated
14.5 Environmental hazards	None	None	None
14.6 Special precautions for user	None		

Section 15 – Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United States

Federal Regulations:

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

Clean Water Act (CWA): No components in this product are listed as toxic pollutants.

Clean Air Act (CAA): No components in this product are listed under the CAA.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA 302 Components: No components in this product are subject to reporting requirements of S.302.

SARA 304 Emergency Release Notification: None.

SARA 311/312 Hazards: None.

SARA 313 Components: Aluminum oxide (CAS No. 1344-28-1) is subject to reporting requirements of S.313.

Toxic Substances Control Act (TSCA): All components are listed on the non-confidential TSCA inventory or are exempt.

State Regulations:

California: Quartz (crystalline silica) [(listed as silica, crystalline (airborne particles of respirable size))] is listed on the California Proposition 65 List, as a chemical known to the State of California to cause cancer. The product contains respirable particles of <10 µm in size. Therefore, the listed form of quartz (crystalline silica) is relevant for the product. No other components in this product are listed.

Canada

CEPA DSL/NDSL: The components of this product are included on the DSL or are exempt from DSL/NDSL requirements.

International:

IARC: Quartz (crystalline silica) (CAS No. 14808-60-7) is listed in Group 1. No other components of this product are classified with respect to carcinogenicity.

15.2 Chemical Safety Assessment

- None available for the components in this product.

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

Section 16 – Other Information

List of acronyms and abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists	MARPOL: Maritime Pollution
ADR: International Carriage of Dangerous Goods by Road	mg/L: Milligrams per Liter
ADNR: Regulation for the carriage of dangerous substances on the Rhine	NDSL: Non-Domestic Substance List
ATE: Acute Toxicity Estimate	NIOSH REL : National Institute for Occupational Safety and Health recommended exposure limit
CAA: Clean Air Act	NTP: National Toxicology Program
CAS: Chemical Abstract Service Number	OSHA: Occupational Safety and Health Administration
CEPA: Canadian Environmental Protection Act	PBT: Persistent, Bioaccumulative and Toxic
CERCLA: Comprehensive Environmental Response and Liability Act	PEL: Permissible Exposure Limit
CWA: Clean Water Act	PPE: Personal Protective Equipment
DFG MAK: Deutsche Forschungsgemeinschaft maximale arbeitsplatz-konzentration	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
DSL: Domestic Substance List	RID: International rule for transport of dangerous
ECHA: European Chemicals Agency	SARA: Superfund Amendment and Reauthorization Act
EINECS: European Inventory of Existing Chemical Substances	SDS: Safety Data Sheet
GHS: Global Harmonized System	TLV: Threshold limit value

IARC: International Agency for Research on Cancer	TSCA: Toxic Substances Control Act
IATA: International Air Transport Association	TWA: Time Weighted Average (8-hour)
ICAO: International Civil Aviation Organization	UN: United Nations
IMDG: International Maritime Dangerous Goods	vPvB: very Persistent, very Bioaccumulative
IMO: International Maritime Organization	

References:

- European Chemicals Agency (ECHA) Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- International Agency for Research on Cancer (IARC).

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a new Safety Data Sheet.

Creation Date: August 28, 2020