

Page 1/16

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

1 Identification

- · Product identifier Bright gold
- · Trade name:

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

- · Product Use: Coating compound/ Surface coating/ paint
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Mayco Colors

4077 Weaver Court South

Hilliard, OH 43026 tel. 614-876-1171 fax. 614-876-9904

- · Information department: Product Safety Department 1 (610) 873-3200 M-F 8am-5pm
- Emergency telephone number: 1 856 384-7050

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 3 H226 Flammable liquid and vapor.

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Carcinogenicity 2 H351 Suspected of causing cancer. Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to organs.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS02 GHS07 GHS08



- · Signal word Danger
- · Hazard-determining components of labeling:

eucalyptus globulus extr.

clove, ext. alpha-Pinene rosemary extr.

(Contd. on page 2)

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

(Contd. of page 1)

· Hazard statements

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H371 May cause damage to organs.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

Ground/bond container and receiving equipment. P240

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace. P272 Wear protective gloves/protective clothing/eye protection/face protection. P280

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

Rinse mouth. P330

Do NOT induce vomiting. P331

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

In case of fire: Use CO2, sand, extinguishing powder to extinguish. P370+P378

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Hazard description:

American Hazard Description

Based upon the components the following hazards may exist:

Target Organs - Lungs, Central Nervous System

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 3 Reactivity = 0

(Contd. on page 3)

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

(Contd. of page 2)

· HMIS ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Solution of organo(precious) metal compounds and resins / waxes in a mixture of organic solvents and essential oils

Hazardous componer		
CAS: 84625-32-1	eucalyptus globulus extr.	>30-<40%
EINECS: 283-406-2	Flammable Liquids 3, H226; Sensitization - Skin 1, H317	
CAS: 68365-87-7	aurio(1+) 2,6,6-trimethylbicyclo[3.1.1]heptanethiolate	>15-<20%
EINECS: 269-858-3	Flammable Solids 2, H228	
CAS: 78-70-6	Linalool	>6-<8%
EINECS: 201-134-4 RTECS: RG 5775000	♦ Sensitization - Skin 1B, H317; Flammable Liquids 4, H227	
CAS: 80-56-8	alpha-Pinene	>4-<6%
EINECS: 201-291-9	Flammable Liquids 3, H226; Aspiration Hazard 1, H304; Skin Irritation 2, H315; Eye Irritation 2A, H319	
CAS: 84961-50-2	clove, ext.	>4-<6%
EINECS: 284-638-7	Alternative CAS number: 8000-34-8	
	Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Skin Irritation 2, H315	
CAS: 8000-28-0	lavender oil	≥2.5-<3%
EINECS: 289-995-2	Consisting of: 78-70-6 Linalool (≥30-<50%); 115-95-7 linalyl	
	acetate (≥10-<25%); 470-82-6 eucalyptol (≥1-<10%); 76-22-2	
	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one (≥1-<10%); 562-74-3 4-Carvomenthenol (≥1-<10%)	
	Alternative CAS number: 84776-65-8	
	Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization -	
	Skin 1, H317; Flammable Liquids 4, H227	
EC number: 932-349-8		≥2.5-<3%
RTECS: YO8400000	Alternative CAS number: 8006-64-2	
	Flammable Liquids 3, H226; Aspiration Hazard 1, H304;	
	Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4,	
	H312; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2,	
040.05.50.4	H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	> 0 +0 F0/
CAS: 95-50-1 EINECS: 202-425-9	1,2-dichlorobenzene	>2-<2.5%
RTECS: CZ 4500000	Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319;	
111LOO. OZ 400000	Sensitization - Skin 1, H317; Specific Target Organ Toxicity -	
	Single Exposure 3, H335; Flammable Liquids 4, H227	

 Printing date 03/15/2023
 Version 7
 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

		(Contd. of page 3)
CAS: 8000-25-7 EINECS: 283-291-9	rosemary extr. Consisting of: 470-82-6 eucalyptol (≥30-<45%); 76-22-2 1,7,7- Trimethylbicyclo[2.2.1]heptan-2-one (≥5-<15%); 80-56-8 alpha- Pinene (≥10-<20%); 106-22-9 dl-Citronellol (≥1-<10%); 127-91- 3 beta-pinene (≥1-<10%) Alternative CAS number: 84604-14-8 ▼ Flammable Liquids 3, H226; ▼ Specific Target Organ Toxicity - Single Exposure 2, H371; Aspiration Hazard 1, H304; ▼ Skin Irritation 2, H315; Sensitization - Skin 1, H317	>1.5-<2%
CAS: 76-22-2 EINECS: 200-945-0 RTECS: EX1225000	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one Tritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	>1-<1.5%
CAS: 71819-51-7 EINECS: 201-635-8 RTECS: QL 5775000	1-(2-methyl-4-(2-methylphenylazo)phenylazo)-2-naphthol Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 4, H332	>0.5-<1%
CAS: 1330-20-7 EINECS: 215-535-7 RTECS: ZE 2100000	xylene, mixture of isomers The Flammable Liquids 3, H226; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319	≥0.25-<0.5%
CAS: 104-46-1 EINECS: 203-205-5 RTECS: BZ 8925000	Anethole (isomer unspecified) Sensitization - Skin 1, H317; Eye Irritation 2B, H320	≥0.25-<0.5%
CAS: 3444-17-5 EINECS: 222-357-3	chromium 2-ethylhexanoate Acute Toxicity - Oral 3, H301; Sensitization - Skin 1, H317	≥0.1-<0.5%
CAS: 78-59-1 EINECS: 201-126-0 RTECS: GW 7700000	isophorone Carcinogenicity 2, H351; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	≥0.1-<0.5%
· Main components:		
CAS: 84625-32-1 EINECS: 283-406-2	eucalyptus globulus extr. Flammable Liquids 3, H226; Sensitization - Skin 1, H317	>30-<40%
CAS: 68365-87-7 EINECS: 269-858-3	aurio(1+) 2,6,6-trimethylbicyclo[3.1.1]heptanethiolate Flammable Solids 2, H228	>15-<20%
CAS: 78-70-6 EINECS: 201-134-4 RTECS: RG 5775000	Linalool Sensitization - Skin 1B, H317; Flammable Liquids 4, H227	>6-<8%
CAS: 80-56-8 EINECS: 201-291-9	alpha-Pinene Flammable Liquids 3, H226; Skin Irritation 2, H315; Eye Irritation 2A, H319	>4-<6%
		Contd. on page 5)

US

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

CAS: 94064 F0 2		(Contd. of page 4
CAS: 84961-50-2 EINECS: 284-638-7	clove, ext. Alternative CAS number: 8000-34-8 Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Skin Irritation 2, H315	>4-<6%
CAS: 8000-28-0 EINECS: 289-995-2	lavender oil Consisting of: 78-70-6 Linalool (≥30-<50%); 115-95-7 linalyl acetate (≥10-<25%); 470-82-6 eucalyptol (≥1-<10%); 76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one (≥1-<10%); 562-74-3 4-Carvomenthenol (≥1-<10%) Alternative CAS number: 84776-65-8 ♦ Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Flammable Liquids 4, H227	≥2.5-<3%
EC number: 932-349-8 RTECS: YO8400000	Turpentine, oil Alternative CAS number: 8006-64-2 Flammable Liquids 3, H226; Aspiration Hazard 1, H304; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	≥2.5-<3%
CAS: 95-50-1 EINECS: 202-425-9 RTECS: CZ 4500000	1,2-dichlorobenzene Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	>2-<2.5%
CAS: 8000-25-7 EINECS: 283-291-9	rosemary extr. Consisting of: 470-82-6 eucalyptol (≥30-<45%); 76-22-2 1,7,7- Trimethylbicyclo[2.2.1]heptan-2-one (≥5-<15%); 80-56-8 alpha- Pinene (≥10-<20%); 106-22-9 dl-Citronellol (≥1-<10%); 127-91- 3 beta-pinene (≥1-<10%) Alternative CAS number: 84604-14-8 ♦ Flammable Liquids 3, H226; ♦ Specific Target Organ Toxicity - Single Exposure 2, H371; Aspiration Hazard 1, H304; ♦ Skin Irritation 2, H315; Sensitization - Skin 1, H317	>1.5-<2%
CAS: 76-22-2 EINECS: 200-945-0 RTECS: EX1225000	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one Flammable Solids 2, H228; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	>1-<1.5%
CAS: 7704-34-9 EINECS: 231-722-6	sulphur	>0.5-<1%
CAS: 68956-80-9 EINECS: 273-319-8	Bi resinate	>0.5-<1%
CAS: 71819-51-7 EINECS: 201-635-8 RTECS: QL 5775000	1-(2-methyl-4-(2-methylphenylazo)phenylazo)-2-naphthol ♠ Acute Toxicity - Dermal 3, H311; ♠ Acute Toxicity - Inhalation 4, H332	>0.5-<1%
CAS: 1330-20-7 EINECS: 215-535-7 RTECS: ZE 2100000	xylene, mixture of isomers Flammable Liquids 3, H226; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319 The For the wording of the listed hazard phrases refer to section 16.	≥0.25-<0.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

(Contd. of page 5)

4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Remove contaminated clothing and wash skin with soap and water. Wash or clean clothing before reuse.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear full firefighting gear and SCBA

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear full face positive pressure air supply respirators

Wear protective equipment. Keep unprotected persons away.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 7)

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

· Protective Action Criteria for Chemicals	(Contd. of page 6)
· PAC-1:	
95-50-1 1,2-dichlorobenzene	50 ppm
PAC-2:	
95-50-1 1,2-dichlorobenzene	170 ppm
PAC-3:	
95-50-1 1,2-dichlorobenzene	1,000 ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

The application of this product requires well exhausted firing kilns and efficient ventilation of working areas.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

There is no PEL established for this mixture. Recommend monitoring based upon the components in the mixture.

	6-8 alpha-Pinene
	Long-term value: 20 ppm DSEN, A4
	entine, oil
PEL	Long-term value: 560 mg/m³, 100 ppm
REL	Long-term value: 560 mg/m³, 100 ppm

(Contd. on page 8)

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

	(Contd. of page 7)
TLV	Long-term value: 20 ppm
	DSEN, A4
95-5	0-1 1,2-dichlorobenzene
PEL	Ceiling limit value: 300 mg/m³, 50 ppm
REL	Ceiling limit value: 300 mg/m³, 50 ppm
TLV	Short-term value: 50 ppm
	Long-term value: 25 ppm
	A4
1330	0-20-7 xylene, mixture of isomers
PEL	Long-term value: 435 mg/m³, 100 ppm
REL	Short-term value: 655 mg/m³, 150 ppm
	Long-term value: 435 mg/m³, 100 ppm
TLV	Long-term value: 20 ppm
	BEI, A4
78-5	9-1 isophorone
PEL	Long-term value: 140 mg/m³, 25 ppm
REL	Long-term value: 23 mg/m³, 4 ppm
TLV	Ceiling limit value: 5 ppm
	A3
· Ingre	edients with biological limit values:
1330	0-20-7 xylene, mixture of isomers
BEI	1.5 g/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: Methylhippuric acids

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.





Avoid contact with the eyes and skin.

Breathing equipment: Not required.
Protection of hands: Protective gloves

• Material of gloves Nitrile rubber, NBR Chemical resistant gloves

· Eye protection: Tightly sealed goggles

119

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

(Contd. of page 8)

Physical and chemical prope	erties
Information on basic physical and	chemical properties
General Information	one mode properties
Appearance:	
Form:	Liquid
Color:	Red-brown
Odor:	Pleasant
Odor threshold:	Not determined.
pH-value:	Neutral
	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	156 °C (312.8 °F)
Flash point:	33 °C (91.4 °F) (ISO 3679)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	235 °C (455 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	60.3 %
Solvent (USA):	60.28 %
	602.8 g/l / 5.03 lb/gal
Solids content:	33.6 %
Other information	No further relevant information available.

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

(Contd. of page 9)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values tha	at are relevant for classification:
Turpentin	e, oil	
Oral	LD50	3,700 mg/kg (rat)
	NOAEL	987 mg/kg/24h (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	13.7 mg/L (rat)
	NOAEC	283.24 mg/m3 (mouse)
		Vapour may cause respiratory irritation (based on read-across from experimentally obtained data on a different but relevant substance. Moderate hyperplasia observed in the transitional epithelium of the urinary bladder in animal studies.
95-50-1 1,	2-dichlor	bbenzene
Oral	LD50	1,516 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	14.04 mg/L (rat)
8000-25-7	rosemary	extr.
Oral	LD50	5,000 mg/kg (rat)
76-22-2 1,	7,7-Trime	thylbicyclo[2.2.1]heptan-2-one
Oral	LD50	1,310 mg/kg (mouse)
1330-20-7	xylene, n	nixture of isomers
Oral	LD50	8,700 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
Inhalative	LD50	>100 mg/L (microbiological activity) 0.1 DY
	LC50/4 h	6,350 mg/L (rat)
104-46-1	Anethole (isomer unspecified)
Oral	LD50	2,090 mg/kg (rat)
78-59-1 is	ophorone	
Oral	LD50	1,500 mg/kg (rabbit)
Dermal	LD50	1,500 mg/kg (rabbit)
		(Contd. on page 11)

- US

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

(Contd. of page 10)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
95-50-1	1,2-dichlorobenzene	3
1330-20-7	xylene, mixture of isomers	3
78-59-1	isophorone	2B
	onal Toxicology Program)	

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carcinogenicity 2

12 Ecological information

· Toxicity

Turpe	ntine, oil		
Oral L	_C50/96 h	29 mg/L (fish) danio rerio	
		736 mg/L (microbiological activity)	
E	EC50/3 h	736 mg/L (microbiological activity)	
E	EC50/48 h	8.8 mg/L (daphnia)	
E	EC50/72 h	17.1 μg/L (algae) desmodesmus subspicatus	
E	EC50/96 h	17.1 mg/L (algae)	
1	NOEC	10 mg/L (algae)	
		5 mg/L (fish) danio rerio	
		10 mg/L (microbiological activity)	
95-50-	-1 1,2-dichlorobenzene		
Oral L	_C50/96 h (static)	1.52 mg/L (fish) Oncorynchus mykiss	
8000-2	25-7 rosemary extr.	·	
Oral L	_C50/48 h	6.7 mg/L (fish) (DIN 38412 T.15) golden orfe	
l E	EC50/24 h	25.2 mg/L (daphnia) (DIN 38412, 11)	

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

		(Contd. of page 11
1330	-20-7 xylene, mixture of isom	ners
Oral	LC50/96 h	13.4 mg/L (fish) Pimephales promelas
	LC50/72h	4.6 mg/L (algae)
	LC50/96 h	2.6 mg/L (fish) Oncorhynchus mykiss
	EC50/48 h	3.82 mg/L (daphnia)
	Bio concentration factor (28d)	23.99
	NOEC/7 d	960 μg/L (daphnia)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1993
· UN proper shipping name	
DOT	Flammable liquids, n.o.s. (eucalyptus globulus extraple)
· IMDG, IATA	FLAMMABLÉ LIQUID, N.O.S. (eucalyptus globulu extr., alpha-PINENE)

Conta. on page 13

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

(Contd. of page 12) · Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group · DOT, IMDG, IATA Ш · Environmental hazards: Product contains environmentally hazardous substances: 1,2-dichlorobenzene, eucalyptus globulus · Marine pollutant: No Special marking (ADR): Symbol (fish and tree) · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 30 F-E,S-E · EMS Number: Stowage Category Α Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L · IMDG · Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 1993 FLAMMABLE LIQUID, N.O.S. UN "Model Regulation": (EUCALYPTUS GLOBULUS EXTR., ALPHA-PINENE), 3, III, ENVIRONMENTALLY HAZARDOUS

- US

 Printing date 03/15/2023
 Version 7
 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

None of the ingredients is listed.

GBC7927-H

(Contd. of page 13)

None of the ingredients is listed.	Sara Section 355	5 (extremely hazardous substances):	
Secondary 1,2-dichlorobenzene Secondary Second		· · · · · · · · · · · · · · · · · · ·	
Secondary 1,2-dichlorobenzene Secondary Second	Section 313	3 (Specific toxic chemical listings):	
Secondary Substances Subs		· ·	
84625-32-1 eucalyptus globulus extr. *	TSCA (Toxi	ic Substances Control Act):	
68365-87-7 aurio (1+) 2,6,6-trimethylbicyclo[3.1.1]heptanethiolate ACTIV 64114-51-8 2-Propenoic acid, 2-methyl-, (1R,2R,4R)-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, rel-, homopolymer ACTIV 78-70-6 Linalool ACTIV 80-56-8 alpha-Pinene ACTIV 84961-50-2 clove, ext. * 8000-28-0 lavender oil ACTIV 95-50-1 1,2-dichlorobenzene ACTIV 8000-25-7 rosemary extr. * 76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one ACTIV 8956-80-9 Bi resinate ACTIV 1330-20-7 xylene, mixture of isomers ACTIV 104-46-1 Anethole (isomer unspecified) ACTIV 3444-17-5 chromium 2-ethylhexanoate ACTIV 64742-48-9 Naphtha (petroleum), hydrotreated heavy ACTIV 78-59-1 isophorone ACTIV 100-41-4 ethylbenzene ACTIV 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone ACTIV 100-41-4 ethylbenz	•	•	*
ACTIV			ACTIV
80-56-8 alpha-Pinene ACTIV 84961-50-2 clove, ext. * 8000-28-0 lavender oil ACTIV 95-50-1 1,2-dichlorobenzene ACTIV 8000-25-7 rosemary extr. * 76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one ACTIV 7704-34-9 sulphur ACTIV 1330-20-7 xylene, mixture of isomers ACTIV 144-46-1 Anethole (isomer unspecified) ACTIV 3444-17-5 chromium 2-ethylhexanoate ACTIV 64742-48-9 Naphtha (petroleum), hydrotreated heavy ACTIV 100-41-4 ethylbenzene ACTIV 100-41-4 ethylbenzene ACTIV 149-57-5 2-ethylhexanoic acid ACTIV 1330-20-7 xylene, mixture of isomers 1330-20-7 xylene, mixture of isomers 1300-20-7 tylene, mixture of isomers 1300-20-7 tylene, mixture of isomers 100-41-4 ethylbenzene 100-41-5 product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause fem.		2-Propenoic acid, 2-methyl-, (1R,2R,4R)-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl	1
84961-50-2 clove, ext.	78-70-6	Linalool	ACTIV
8000-28-0 lavender oil ACTIV 95-50-1 1,2-dichlorobenzene ACTIV 8000-25-7 rosemary extr. * * * * * * * * * * * * * * * * * *	80-56-8	alpha-Pinene	ACTIV
95-50-1 1,2-dichlorobenzene ACTIV 8000-25-7 rosemary extr. * 76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one ACTIV 7704-34-9 sulphur ACTIV 68956-80-9 Bi resinate ACTIV 1330-20-7 xylene, mixture of isomers ACTIV 3444-17-5 chromium 2-ethylhexanoate ACTIV 64742-48-9 Naphtha (petroleum), hydrotreated heavy ACTIV 78-59-1 isophorone ACTIV 149-57-5 2-ethylhexanoic acid ACTIV 149-57-5 2-ethylhexanoic acid ACTIV 1330-20-7 xylene, mixture of isomers 1330-20-7 xylene, mixture of isomers 1330-20-7 tylene, mixture of isomers 1330-20-7 tylene, mixture of isomers 1330-20-7 tylene, mixture of isomers 100-41-4 ethylbenzene 100-41-4 ethylbenzene 100-41-4 ethylbenzene 100-41-4 tylene, mixture of isomers 1330-20-7 tylene, mixture of isomers 1300-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females	84961-50-2	clove, ext.	*
8000-25-7 rosemary extr. 76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one ACTIV 7704-34-9 sulphur ACTIV 68956-80-9 Bi resinate ACTIV 1330-20-7 xylene, mixture of isomers ACTIV 3444-17-5 chromium 2-ethylhexanoate ACTIV 64742-48-9 Naphtha (petroleum), hydrotreated heavy ACTIV 78-59-1 isophorone ACTIV 100-41-4 ethylbenzene ACTIV 149-57-5 2-ethylhexanoic acid ACTIV Hazardous Air Pollutants 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause females. Warning: This product contains a chemical known to the State of California to cause females.	8000-28-0	lavender oil	ACTIV
76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one ACTIV 7704-34-9 sulphur ACTIV 1330-20-7 xylene, mixture of isomers ACTIV 3444-17-5 chromium 2-ethylhexanoate ACTIV 78-59-1 isophorone ACTIV 100-41-4 ethylbenzene ACTIV 149-57-5 2-ethylhexanoic acid ACTIV ACTI			ACTIV
7704-34-9 sulphur 68956-80-9 Bi resinate 1330-20-7 xylene, mixture of isomers 104-46-1 Anethole (isomer unspecified) 3444-17-5 chromium 2-ethylhexanoate 64742-48-9 Naphtha (petroleum), hydrotreated heavy 78-59-1 isophorone 100-41-4 ethylbenzene 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene 100-41-4 ethylbenzene 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.		· · · · · · · · · · · · · · · · · · ·	*
Bi resinate ACTIV			ACTIV
1330-20-7 xylene, mixture of isomers 104-46-1 Anethole (isomer unspecified) 3444-17-5 chromium 2-ethylhexanoate 64742-48-9 Naphtha (petroleum), hydrotreated heavy 78-59-1 isophorone 100-41-4 ethylbenzene 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.		· ·	ACTIV
Anethole (isomer unspecified) 3444-17-5 chromium 2-ethylhexanoate 64742-48-9 Naphtha (petroleum), hydrotreated heavy 78-59-1 isophorone 100-41-4 ethylbenzene 149-57-5 2-ethylhexanoic acid ACTIV Hazardous Air Pollutants 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.			ACTIV
3444-17-5 chromium 2-ethylhexanoate 64742-48-9 Naphtha (petroleum), hydrotreated heavy 78-59-1 isophorone 100-41-4 ethylbenzene 149-57-5 2-ethylhexanoic acid Hazardous Air Pollutants 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.			ACTIV
64742-48-9 Naphtha (petroleum), hydrotreated heavy 78-59-1 isophorone ACTIV 100-41-4 ethylbenzene ACTIV 149-57-5 2-ethylhexanoic acid ACTIV Hazardous Air Pollutants 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.		, ,	
78-59-1 isophorone ACTIV 100-41-4 ethylbenzene ACTIV Hazardous Air Pollutants 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.			1
100-41-4 ethylbenzene ACTIV 149-57-5 2-ethylhexanoic acid ACTIV Hazardous Air Pollutants 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.			
Hazardous Air Pollutants 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.		· ·	ACTIV
Hazardous Air Pollutants 1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.			1
1330-20-7 xylene, mixture of isomers 78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.	149-57-5	2-ethylhexanoic acid	ACTIV
78-59-1 isophorone 100-41-4 ethylbenzene Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause female.	Hazardous	Air Pollutants	
Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.			
Proposition 65 Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.	78-59-1 i	sophorone	
Warning: This product contains a chemical known to the State of California to cause cancer None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause female.	100-41-4	ethylbenzene	
None of the ingredients is listed. Warning: This product contains a chemical known to the State of California to cause females.	Proposition	n 65	
Warning: This product contains a chemical known to the State of California to cause fem-	Warning: 1	This product contains a chemical known to the State of California to cause c	ancer
	None of the	ingredients is listed.	
			se fem

Version 7 Printing date 03/15/2023 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

	(Cc	ontd.	of pag	ge 14
	g: This product contains a chemical known to the State of Californ ment toxicity	ia t	o ca	us
None of	the ingredients is listed.			
· Canadia	n Ingredient disclosure list			
· Limit 0,1	%			
None of	the ingredients is listed.			
Limit 1%)			
80-56-8	alpha-Pinene			
	Turpentine, oil			
95-50-1	1,2-dichlorobenzene			
Cancero	genity categories			
· EPA (En	vironmental Protection Agency)			
95-50-1	1,2-dichlorobenzene			С
· TLV (Th	reshold Limit Value established by ACGIH) notations			
80-56-8	alpha-Pinene			Α
95-50-1	1,2-dichlorobenzene			Α
76-22-2	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one			A4
· MAK (G	erman Maximum Workplace Concentration)			
78-59-1	isophorone	3B	0.27	7 6%
100-41-4	ethylbenzene	3A	0.08	36%
NIOSH-0	Ca (National Institute for Occupational Safety and Health)			

· National regulations:

None of the ingredients is listed.

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapor.

H227 Combustible liquid.

H228 Flammable solid.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H320 Causes eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

(Contd. on page 16)

Printing date 03/15/2023 Version 7 Reviewed on 03/15/2023

Product ID#: HOBBY PREMIUM GOLD LUSTER

GBC7927-H

(Contd. of page 15)

H371 May cause damage to organs.

· Contact:

S. Carter

EHS Specialist

- · Date of preparation / last revision 03/15/2023
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 3: Flammable liquids - Category 3

Flammable Liquids 4: Flammable liquids - Category 4

Flammable Solids 2: Flammable solids – Category 2
Acute Toxicity - Oral 3: Acute toxicity – Category 3
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Eye Irritation 2B: Serious eye damage/eye irritation - Category 2B

Sensitization - Skin 1: Skin sensitisation - Category 1

Sensitization - Skin 1B: Skin sensitisation - Category 1B

Carcinogenicity 2: Carcinogenicity - Category 2

Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Aspiration Hazard 1: Aspiration hazard - Category 1

* Data compared to the previous version altered.