

Page 1/17

Safety Data Sheet acc. to OSHA HCS

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

1 Identification

· Product identifier Bright platinum

· Trade name:

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM PBC6875-

· Product Use: Coating compound/ Surface coating/ paint

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Mayco Colors

4077 Weaver Court South

Hilliard, OH 43026 tel. 614-876-1171 fax. 614-876-9904

· Information department: Product Safety Department 1 (610) 873-3200 M-F 8am-5pm

· Emergency telephone number: 1 856 384-7050

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 2 H225 Highly flammable liquid and vapor.

Skin Irritation 2 H315 Causes skin irritation.

Eve Irritation 2A H319 Causes serious eve irritation. Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02 GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

1,2-dichlorobenzene

4-tert-butylphenol

formaldehyde, polymer with 4-(1,1-dimethyl-ethyl)phenol

Turpentine, oil

· Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

(Contd. on page 2)

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

(Contd. of page 1)

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, sand, extinguishing powder to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Hazard description:
- · American Hazard Description Based upon the components the following hazards may exist:
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 4 Reactivity = 0

· HMIS ratings (scale 0 - 4)



Health = 2 Fire = 4

ACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

____U

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

Solution of organo(precious) metal compounds and resins / waxes in a mixture of organic solvents and essential oils

Hazardous componen		
CAS: 108-94-1 EINECS: 203-631-1 RTECS: GW 1050000	cyclohexanone ♦ Flammable Liquids 3, H226; ♦ Acute Toxicity - Dermal 3, H311; ♦ Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332	>20-<30%
CAS: 8002-09-3 EC number: 304-455-9	· · · · · · · · · · · · · · · · · · ·	
CAS: 95-50-1 EINECS: 202-425-9 RTECS: CZ 4500000	1,2-dichlorobenzene Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	>8-<10%
	pine oil Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Flammable Liquids 4, H227	>8-<10%
CAS: 1330-20-7 EINECS: 215-535-7 RTECS: ZE 2100000	xylene, mixture of isomers Flammable Liquids 3, H226; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319	>8-<10%
CAS: 25085-50-1 polymer	formaldehyde, polymer with 4-(1,1-dimethyl-ethyl)phenol Sensitization - Skin 1, H317	>8-<10%
CAS: 68365-87-7 EINECS: 269-858-3	aurio(1+) 2,6,6-trimethylbicyclo[3.1.1]heptanethiolate Tlammable Solids 2, H228	>6-<8%
	Sulphurized Terpineol and Turpentine Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	>4-<5%
CAS: 125-12-2 EINECS: 204-727-6	Isobornyl acetate Flammable Liquids 4, H227	>1.5-<2%
CAS: 84961-50-2 EINECS: 284-638-7	clove, ext. Alternative CAS number: 8000-34-8 Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; \$\frac{1}{2}\$ Skin Irritation 2, H315	>1.5-<2%
CAS: 8006-64-2 EINECS: 232-350-7 RTECS: YO8400000	Turpentine, oil Flammable Liquids 3, H226; Aspiration Hazard 1, H304; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	>1-<1.5%
CAS: 92-52-4 EINECS: 202-163-5 RTECS: DU 8050000	biphenyl Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≥0.25-≤1%
CAS: 108-93-0 EINECS: 203-630-6 RTECS: GV 7875000	cyclohexanol Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	>0.5-<1%

 Printing date 04/26/2023
 Version 8
 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

CAS: 08 54 4		Contd. of page ≥0.1-<0.25%
CAS: 98-54-4 EINECS: 202-679-0 RTECS: SJ 8925000	Toxic to Reproduction 2, H361; Eye Damage 1, H318; Skin Irritation 2, H315	
CAS: 8000-25-7 EINECS: 283-291-9	rosemary extr. Consisting of: 470-82-6 eucalyptol (≥30-<45%); 76-22-2 1,7,7- Trimethylbicyclo[2.2.1]heptan-2-one (≥5-<15%); 80-56-8 alpha- Pinene (≥10-<20%); 106-22-9 dl-Citronellol (≥1-<10%); 127-91- 3 beta-pinene (≥1-<10%) Alternative CAS number: 84604-14-8 Flammable Liquids 3, H226; Specific Target Organ Toxicity - Single Exposure 2, H371; Aspiration Hazard 1, H304; Skin Irritation 2, H315; Sensitization - Skin 1, H317	≥0.1-<0.25%
Main components:		
CAS: 108-94-1 EINECS: 203-631-1 RTECS: GW 1050000	cyclohexanone Flammable Liquids 3, H226; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332	>20-<30%
CAS: 8002-09-3 EC number: 304-455-9	pine oil Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227	>15-<20%
CAS: 95-50-1 EINECS: 202-425-9 RTECS: CZ 4500000	1,2-dichlorobenzene Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	>8-<10%
	pine oil Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Flammable Liquids 4, H227	>8-<10%
CAS: 1330-20-7 EINECS: 215-535-7 RTECS: ZE 2100000	xylene, mixture of isomers Flammable Liquids 3, H226; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319	>8-<10%
CAS: 25085-50-1 polymer	formaldehyde, polymer with 4-(1,1-dimethyl-ethyl)phenol Sensitization - Skin 1, H317	>8-<10%
CAS: 68365-87-7 EINECS: 269-858-3	aurio(1+) 2,6,6-trimethylbicyclo[3.1.1]heptanethiolate Flammable Solids 2, H228	>6-<8%
	Sulphurized Terpineol and Turpentine Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227	>4-<5%
CAS: 100402-68-4 EC number: 309-504-8	propanoic acid, 3-mercapto iso-octyl ester,palladium salt	>3-<4%
CAS: 65997-05-9 NLP: 500-163-2	polymerised rosin	≤2.5%
CAS: 125-12-2 EINECS: 204-727-6	Isobornyl acetate Flammable Liquids 4, H227	>1.5-<2%

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

	(C	contd. of page 4)
	clove, ext. Alternative CAS number: 8000-34-8	>1.5-<2%
LINEOS. 204-030-7	Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Skin Irritation 2, H315	
CAS: 8006-64-2 EINECS: 232-350-7 RTECS: YO8400000	Turpentine, oil Flammable Liquids 3, H226; Aspiration Hazard 1, H304; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	>1-<1.5%
CAS: 92-52-4 EINECS: 202-163-5 RTECS: DU 8050000	biphenyl ♦ Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	≥0.25-≤1%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult give oxygen.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Remove contaminated clothing and wash skin with soap and water. Wash or clean clothing before reuse.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents:

Water

Water with full iet

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear full firefighting gear and SCBA

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

(Contd. of page 5)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
95-50-1	1,2-dichlorobenzene	50 ppm
1330-20-7	xylene, mixture of isomers	130 ppm
92-52-4	biphenyl	0.87 ppm
· PAC-2:		
95-50-1	1,2-dichlorobenzene	170 ppm
1330-20-7	xylene, mixture of isomers	920* ppm
92-52-4	biphenyl	9.6 ppm
· PAC-3:		
95-50-1	1,2-dichlorobenzene	1,000 ppm
1330-20-7	xylene, mixture of isomers	2500* ppm
92-52-4	biphenyl	300 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 7)

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

(Contd. of page 6)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

The application of this product requires well exhausted firing kilns and efficient ventilation of working areas.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

There is no PEL established for this mixture. Recommend monitoring based upon the components in the mixture.

95-5	0-1 1,2-dichlorobenzene
PEL	Ceiling limit value: 300 mg/m³, 50 ppm
REL	Ceiling limit value: 300 mg/m³, 50 ppm
TLV	Short-term value: 50 ppm
	Long-term value: 25 ppm
	A4
	0-20-7 xylene, mixture of isomers
PEL	Long-term value: 435 mg/m³, 100 ppm
REL	Short-term value: 655 mg/m³, 150 ppm
	Long-term value: 435 mg/m³, 100 ppm
TLV	Long-term value: 20 ppm
	BEI, A4
	2-4 biphenyl
PEL	Long-term value: 1 mg/m³, 0.2 ppm
REL	Long-term value: 1 mg/m³, 0.2 ppm
TLV	Long-term value: 0.2 ppm
108-	93-0 cyclohexanol
PEL	Long-term value: 200 mg/m³, 50 ppm
REL	Long-term value: 200 mg/m³, 50 ppm
	Skin
TLV	Long-term value: 50 ppm
	Skin, BEI
· Ingr	edients with biological limit values:
1330	-20-7 xylene, mixture of isomers
BEI	1.5 g/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: Methylhippuric acids
	(Contd. on page 8)

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

(Contd. of page 7)

108-93-0 cyclohexanol

BEI -

Medium: urine

Time: end of shift at end of workweek

Parameter: 1.2-Cyclohexanediol (with hydrolysis, nonspecific, nonquantitative)

-

Medium: urine Time: end of shift

Parameter: Cyclohexanol (with hydrolysis, nonspecific, nonquantitative)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.





Avoid contact with the eyes and skin.



Pregnant women should strictly avoid inhalation or skin contact.

Breathing equipment: Not required.
 Protection of hands: Protective gloves

• Material of gloves Nitrile rubber, NBR Chemical resistant gloves

Eye protection: Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

· **pH-value**: Neutral

Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 137 °C (278.6 °F)

• **Flash point:** 21 °C (69.8 °F) (ISO 3679)

(Contd. on page 9)

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

	(Contd. of page
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	500 °C (932 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ater): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	68.2 %
Solvent (USA):	68.24 %
	682.4 g/l / 5.69 lb/gal
Solids content:	22.5 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

10.

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

(Contd. of page 9)

11 Toxicological information

LD/LC50 v	values tha	t are relevant for classification:
108-94-1 c		
	LD50	1,900 mg/kg (rat)
Dermal	LD50	948 mg/kg (rabbit)
Inhalative	LC50/4 h	8,000 mg/L (rat)
8002-09-3	pine oil	
Oral	LD50	2,000 mg/kg (rat)
95-50-1 1,	2-dichlor	bbenzene
Oral	LD50	1,516 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	14.04 mg/L (rat)
pine oil		
Oral	LD50	2,000 mg/kg (rat)
1330-20-7	xylene, m	nixture of isomers
Oral	LD50	8,700 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
Inhalative	LD50	>100 mg/L (microbiological activity) 0.1 DY
	LC50/4 h	6,350 mg/L (rat)
125-12-2 I	sobornyl	acetate
Oral	LD50	10,000 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)
8006-64-2	Turpentii	ne, oil
Oral	LD50	3,700 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	13.7 mg/L (rat)
	NOAEC	283.24 mg/m3 (mouse) Vapour may cause respiratory irritation (based on read-across fr experimentally obtained data on a different but relevant substance. Moder hyperplasia observed in the transitional epithelium of the urinary bladde animal studies.
92-52-4 bi		
Oral	LD50	2,140 mg/kg (rat)
108-93-0 c	-	
Oral	LD50	2,060 mg/kg (rat)
98-54-4 4-	tert-butyl	
Oral	LD50	2,951 mg/kg (rat)
Dermal	LD50	2,288 mg/kg (rabbit)
8000-25-7	rosemary	v extr.

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

(Contd. of page 10)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

Product is suspected to cause damage to fertility.

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)		
108-94-1	cyclohexanone	3	
95-50-1	1,2-dichlorobenzene	3	
1330-20-7	xylene, mixture of isomers	3	
· NTP (Natio	onal Toxicology Program)		
None of the	None of the ingredients is listed.		
· OSHA-Ca	(Occupational Safety & Health Administration)		
None of the	None of the ingredients is listed.		

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Toxic to Reproduction 2

12 Ecological information

· Toxicity

108-94-1 cyclohexanone		
Oral	LC50/96 h (dynamic)	527 mg/L (fish)
	LC50/48 h	536 mg/L (fish)
	EC50/48 h	820 mg/L (daphnia)
95-5	0-1 1,2-dichlorobenzene	
Oral	LC50/96 h (static)	1.52 mg/L (fish) Oncorynchus mykiss
1330	-20-7 xylene, mixture of isom	ners
Oral	LC50/96 h	13.4 mg/L (fish) Pimephales promelas
	LC50/72h	4.6 mg/L (algae)
	LC50/96 h	2.6 mg/L (fish) Oncorhynchus mykiss
	EC50/48 h	3.82 mg/L (daphnia)
	Bio concentration factor (28d)	23.99
	NOEC/7 d	960 μg/L (daphnia)
8006	-64-2 Turpentine, oil	
Oral	LC50/96 h	29 mg/L (fish) danio rerio
		736 mg/L (microbiological activity)

--- page :-

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

		(Contd. of page 11
	EC50/48 h	8.8 mg/L (daphnia)
	EC50/96 h	17.1 mg/L (algae)
	NOEC	10 mg/L (algae)
		5 mg/L (fish) danio rerio
		10 mg/L (microbiological activity)
92-5	2-4 biphenyl	
Oral	LC50/48 h	2.1 mg/L (daphnia)
	LC50/96 h	1.5 mg/L (fish) S. gairdnerii
	EC50/48 h	2.1 mg/L (daphnia)
8000	-25-7 rosemary extr.	
Oral	LC50/48 h	6.7 mg/L (fish) (DIN 38412 T.15) golden orfe
	EC50/24 h	25.2 mg/L (daphnia) (DIN 38412, 11)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT	Flammable liquids, n.o.s. (RED DYE MEDIUM Xylenes)
	(Contd. on page 1

 Printing date 04/26/2023
 Version 8
 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

	(Contd. of page 12)
· IMDG	FLAMMABLE LIQUID, N.O.S. (RED DYE MEDIUM, XYLENES, o-DICHLOROBENZENE, biphenyl)
· IATA	FLAMMABLE LIQUID, N.O.S. (RED DYE MEDIUM, XYLENES)
Transport hazard class(es)	
· DOT	
THANAGE FUELD	
· Class	3 Flammable liquids
· Label	3
· IMDG	
· Class	3 Flammable liquids
· Label · IATA	3
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Product contains environmentally hazardous
· Marine pollutant:	substances: 1,2-dichlorobenzene Yes
	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
 Hazard identification number (Kemler code): EMS Number: 	733 F-E,S-E
· Stowage Category	B
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
	(Contd. on page 14)

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

· IMDG
· Limited quantities (LQ)
· Excepted quantities (EQ)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA) (RED DYE MEDIUM, XYLENES), 3, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 355	(extremely hazardous substances):	
None of the ir	ngredients is listed.	
Section 313	(Specific toxic chemical listings):	
95-50-1 1,	2-dichlorobenzene	
1330-20-7 xy	lene, mixture of isomers	
92-52-4 bi	phenyl	
TSCA (Toxic	Substances Control Act):	
95-50-1	1,2-dichlorobenzene	ACTIVE
	pine oil	ACTIVE
1330-20-7	xylene, mixture of isomers	ACTIVE
25085-50-1	formaldehyde, polymer with 4-(1,1-dimethyl-ethyl)phenol	ACTIVE
68365-87-7	aurio(1+) 2,6,6-trimethylbicyclo[3.1.1]heptanethiolate	ACTIVE
	Sulphurized Terpineol and Turpentine	ACTIVE
100402-68-4	propanoic acid, 3-mercapto iso-octyl ester,palladium salt	ACTIVE/EXEMP
65997-05-9	polymerised rosin	ACTIVE
125-12-2	Isobornyl acetate	ACTIVE
84961-50-2	clove, ext.	*
92-52-4	biphenyl	ACTIVE
	cellulose, ethyl ether	ACTIVE
	cyclohexanol	ACTIVE
14233-37-5	C.I. solvent blue 36	ACTIVE
	venetian turpentine, sulphurised, hexachlororhodate	ACTIVE
	Chromium naphthenate	ACTIVE
	silver pinanyl mercaptide	ACTIVE
67874-71-9	bismuth octoate	ACTIVE
	4-tert-butylphenol	ACTIVE
	rosemary extr.	*
	cyclohexanone	ACTIVE
	isophorone	ACTIVE
50-00-0	Formaldehyde	ACTIVE

 Printing date 04/26/2023
 Version 8
 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

		(Contd. of page
	2 Turpentine, oil	ACTIVE
	2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	ACTIVE
8000-28-	0 lavender oil	ACTIVE
Hazardous	Air Pollutants	
1330-20-7	xylene, mixture of isomers	
92-52-4	biphenyl	
78-59-1	isophorone	
50-00-0	Formaldehyde	
Propositio	n 65	
Warning:	This product contains a chemical known to the State of C	California to cause cancer
None of the	ingredients is listed.	
reproducti	This product contains a chemical known to the State of ve hazards.	of California to cause fem
	e ingredients is listed.	
reproducti	This product contains a chemical known to the State ve hazards	of California to cause m
None of the	ingredients is listed.	
developme		tate of California to ca
	ingredients is listed.	
	ngredient disclosure list	
Limit 0,1%		
108-94-1 c	yclohexanone	
Limit 1%		
95-50-1	1,2-dichlorobenzene	
8006-64-2	Turpentine, oil	
92-52-4	biphenyl	
Canceroge	nity categories	
EPA (Envir	onmental Protection Agency)	
05 50 4	1,2-dichlorobenzene	
95-50-1]
	xylene, mixture of isomers]
	· ·	
1330-20-7 92-52-4	biphenyl	[[5
1330-20-7 92-52-4 TLV (Thres	biphenyl shold Limit Value established by ACGIH) notations	1
1330-20-7 92-52-4 TLV (Thres 108-94-1	biphenyl shold Limit Value established by ACGIH) notations cyclohexanone	I
1330-20-7 92-52-4 TLV (Thres 108-94-1 95-50-1	biphenyl shold Limit Value established by ACGIH) notations cyclohexanone 1,2-dichlorobenzene	1
1330-20-7 92-52-4 TLV (Thres 108-94-1 95-50-1 1330-20-7	biphenyl shold Limit Value established by ACGIH) notations cyclohexanone 1,2-dichlorobenzene xylene, mixture of isomers	I E
1330-20-7 92-52-4 TLV (Thres 108-94-1 95-50-1 1330-20-7 MAK (Gern	biphenyl shold Limit Value established by ACGIH) notations cyclohexanone 1,2-dichlorobenzene xylene, mixture of isomers nan Maximum Workplace Concentration)	I
1330-20-7 92-52-4 TLV (Thres 108-94-1 95-50-1 1330-20-7 MAK (Gern 108-94-1	biphenyl shold Limit Value established by ACGIH) notations cyclohexanone 1,2-dichlorobenzene xylene, mixture of isomers nan Maximum Workplace Concentration) cyclohexanone	I S J J 3B 20.23
1330-20-7 92-52-4 TLV (Thres 108-94-1 95-50-1 1330-20-7 MAK (Gern 108-94-1 92-52-4	biphenyl shold Limit Value established by ACGIH) notations cyclohexanone 1,2-dichlorobenzene xylene, mixture of isomers nan Maximum Workplace Concentration) cyclohexanone biphenyl	3B 20.23 3B 1.09
1330-20-7 92-52-4 TLV (Thres 108-94-1 95-50-1 1330-20-7 MAK (Gern 108-94-1 92-52-4 108-94-1	biphenyl shold Limit Value established by ACGIH) notations cyclohexanone 1,2-dichlorobenzene xylene, mixture of isomers nan Maximum Workplace Concentration) cyclohexanone biphenyl cyclohexanone	3B 20.23 3B 1.09 3B 0.038
1330-20-7 92-52-4 TLV (Thres 108-94-1 95-50-1 1330-20-7 MAK (Gern 108-94-1 92-52-4 108-94-1 78-59-1	biphenyl shold Limit Value established by ACGIH) notations cyclohexanone 1,2-dichlorobenzene xylene, mixture of isomers nan Maximum Workplace Concentration) cyclohexanone biphenyl cyclohexanone isophorone	3B 20.23 3B 1.09 3B 0.038 3B 0.038
1330-20-7 92-52-4 TLV (Thres 108-94-1 95-50-1 1330-20-7 MAK (Gern 108-94-1 92-52-4 108-94-1 78-59-1 50-00-0	biphenyl shold Limit Value established by ACGIH) notations cyclohexanone 1,2-dichlorobenzene xylene, mixture of isomers nan Maximum Workplace Concentration) cyclohexanone biphenyl cyclohexanone	3B 20.23 3B 1.09 3B 0.038

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

(Contd. of page 15)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapor.

H227 Combustible liquid.

H228 Flammable solid.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H371 May cause damage to organs.

· Contact:

S. Carter

EHS Specialist

· Date of preparation / last revision 04/26/2023

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

(Contd. on page 17)

Printing date 04/26/2023 Version 8 Reviewed on 04/26/2023

Product ID#: HOBBY BRUSHING BRIGHT PLATINUM LUSTER PBC6875-H

(Contd. of page 16)

Flammable Liquids 2: Flammable liquids – Category 2
Flammable Liquids 3: Flammable liquids – Category 3
Flammable Liquids 4: Flammable liquids – Category 4
Flammable Solids 2: Flammable solids – Category 2
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Acute Toxicity - Dermal 3: Acute toxicity – Category 3
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Damage 1: Serious eye damage/eye irritation – Category 1
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Sensitization - Skin 1: Skin sensitisation – Category 1
Toxic to Reproduction 2: Reproductive toxicity – Category 2
Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) – Category 3
Aspiration Hazard 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.

JS -