

DRY STONEWARE GLAZES

SAFETY DATA SHEET (SDS)

Version: 05

Date of Issue: February 17, 2025

According to: OSHA Hazard Communication Standard 29

CFR 1910.1200(g) Rev. 2024

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name: DRY STONEWARE GLAZES

Product Colors: BLACK WALNUT (SD104), MIRROR BLACK (SD132), RAINFOREST (SD185),

IVY (SD193), GREEN TEA (SD108), MIDNIGHT RAIN (SD115), AURORA GREEN (SD146), MOONSCAPE (SD147), SAND & SEA (SD167), NIGHT MOTH (SD181),

BLUE OPAL (SD252), MICRO JADE (SD216)

Product sizes: 5 lbs per color
Other Means of Identification: None known

Product Description: Powder formulations intended to be diluted in water and used for arts and crafts

purposes.

1.2 Relevant identified uses of the substance or mixture

Relevant identified use(s): Use product for its intended purpose as a glaze product intended for general (adults)

arts and crafts purposes. This product is diluted in water and intended for small batch

use.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Coloramics, LLC

4077 Weaver Court South

Hilliard, OH 43026

Business Phone: 614-675-1171

Email: info@maycocolors.com

1.4 Emergency telephone number

Emergency Telephone: Contact the local poison control centre.

Section 2 – Hazard(s) Identification

2.1. Classification of the substance or mixture

According to: OSHA Hazard Communication Standard 29 CFR 1910.1200(g) Rev. 2024

Physical	Health	Environmental ^{a, b}	
Not classified	H373: Specific Target Organ Toxicity (repeated exposure, Category 2, lungs)	H400: Acute aquatic toxicity (Category 1) H410: Chronic aquatic	
	H350: Carcinogenicity (Category 1A) (Inhalation)		
	H371: Specific Target Organ Toxicity (single exposure, Category 2, gastrointestinal tract irritation)	toxicity (Category 1)	

This SDS applies to a series of colors, as such the environmental classifications listed do not pertain to all colors. It should be noted that some colors do not present environmental concerns.

b Environmental hazards are outside the scope of OSHA; therefore, product classification for acute and chronic aquatic

toxicity (Category 1) are not mandatory.

2.2. Label elements

Label Pictogram:



Signal Word: Danger

Hazard statements & Precautions:

Specific Target Organ Toxicity (repeated exposure,

(Category 2, lungs) (H373)

Causes damage to organs through prolonged or repeated exposure.

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell. **P501**: Dispose of contents/container in accordance with

local/regional/national/international regulations.

Carcinogenicity (Category 1A) (Inhalation) (H350)

May cause cancer by inhalation.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood. **P280**: Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P313: IF exposed or concerned: Get medical advice/attention.

P405: Store locked up.

P501: Dispose of contents/container in accordance with local, regional, national,

and/or international regulations.

Specific target organ toxicity (single exposure, Category 2, gastrointestinal tract irritation) (H371)

May cause irritation to gastrointestinal tract through oral exposure.

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P308 + P311: IF exposed or concerned: Get emergency medical help

immediately.

P405: Store locked up.

P501: Dispose of contents/container in accordance with local, regional, national,

and/or international regulations.

Acute aquatic toxicity (Category 1) (H400) ^a Chronic aquatic toxicity (Category 1) (H410) ^a

Very toxic to aquatic life with long lasting effects.

P273: Avoid release to the environment.

P391: Collect spillage.

P501: Dispose of contents/container in accordance with local, regional, national,

and/or international regulation.

^a Environmental hazards are outside the scope of OSHA; therefore, product classification for acute and chronic aquatic toxicity (Category 1) are not mandatory.

Supplemental Hazard Information: None

2.3. Other hazards

- Substances when carried in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids are not subject to any other provisions of ADR provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. Should the single or inner packaging condition or provisions not be met, transportation restrictions will need to be revisited.
- Mechanical irritation of the eyes and respiratory system may occur following exposure dusts.

Section 3 – Composition / Information on Ingredients

3.1 Substances

The product is a mixture and not a substance.

3.2 Mixture

Chemical Name	CAS No.	EC No.	% Concentration ^a	GHS Hazards
Quartz (crystalline silica)	14808-60-7	238-878-4	≤ 20.7100%	H350: Carcinogenicity (Category 1A) (inhalation); H372: Specific target organ toxicity (repeated exposure, Category 1, lungs)
Cobalt (II, III) oxide	1308-06-1	215-157-2	≤ 1.7200%	H334: Respiratory sensitization (Category 1B); H412: Chronic aquatic toxicity (Category 3)
Cupric oxide	1317-38-0	215-269-1	≤ 4.3442%	H371: Specific target organ toxicity (single exposure, Category 2, gastrointestinal tract irritation); H400: Acute aquatic toxicity (Category 1); H410: Chronic aquatic toxicity (Category 1)
Zinc oxide	1314-13-2	215-222-5	≤ 24.6800%	H371: Specific target organ toxicity (single exposure, Category 2, gastrointestinal tract irritation); H400: Acute aquatic toxicity (Category 1); H410: Chronic aquatic toxicity (Category 1)
Boron oxide ^b	1303-86-2	215-125-8	≤ 0.4080%	H360FD: Reproductive toxicity (Category 1B) (May damage fertility and the unborn child)
Feldspar	68476-25-5	270-666-7	≤ 54.1200%	H335: Specific target organ toxicity (single exposure, Category 3, respiratory irritation); H319: Eye Irritation (Category 2)

^a Concentrations are calculated as a maximum across all colors, rather than by color.

The other ingredients in the product are either considered non-hazardous or are below their respective GHS cut-off values/concentration limits in the final product and were therefore not disclosed in the SDS.

Assessment of this product was based on the assumption that the glaze will not be sanded after it has been fired in the kiln.

Section 4 – First Aid Measures

4.1 Description of first aid measures

Eye contact: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. If eye irritation persists: Get medical advice/attention

Skin contact: No specific first aid measures are required. If irritation occurs, wash with plenty of water and soap. Take off contaminated clothing. If skin irritation persists: Get medical advice/attention.

Inhalation: IF INHALED: Inhaling dust may cause discomfort in the chest, respiratory irritation, shortness of breath and coughing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

Ingestion: IF SWALLOWED: Get emergency medical help immediately. Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

The hazardous boron listed as part of this product is completely incorporated into the glassy structure of the frit, chemically reacted in the form of silicates or other essentially insoluble complexes. Exposure to the hazardous ingredient can occur if dust is inhaled and the ingredients dissolve out of the glass. Because of the chemical stability of frits and its resistance to attack by acids or alkali, this is anticipated to occur very slowly. To date, there is no significant evidence of adverse effects from industrial exposures. As with all dusty materials, inhalation may cause respiratory irritation, sneezing, coughing and runny nose.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Not required.

Section 5 – Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, water spray, foam, dry chemical or carbon dioxide).

Unsuitable Extinguishing Media: None known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

- Irritating vapours or fumes may form if product is involved in fire:
- Also see **Section 10** Stability and Reactivity.

5.3 Advice for firefighters

• Wear a self-contained breathing apparatus to protect against potentially irritating vapours or fumes.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Avoid dust formation. Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in **Section 8 – Exposure Controls/Personal Protection**.

Emergency Procedures: Evacuate personnel to safe areas.

6.2 Environmental precautions:

 Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

• Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7- Handling and Storage

7.1 Precautions for safe handling

- Do not breathe dust
- Wash hands thoroughly after handling.
- Wash contaminated clothing before reuse.
- Employees should be trained in the safe use and handling of chemical materials.
- Refer to Section 8 Exposure Controls/Personal Protection

7.2 Conditions for safe storage, including any incompatibilities

- Store locked up.
- Keep container tightly closed to avoid spills.
- Keep in a cool dry place.

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8– Exposure Controls / Personal Protection

8.1 Control Parameters:

Occupational exposure limits: Airborne particles, such as dust, are foreseeable under conditions of normal use.

Chemical Name	CAS No.	ACGIH TLVs TWA	OSHA PELs TWA	NIOSH RELs TWA	DFG MAK TWA
Silica, crystalline, mixed respirable (quartz, cristobalite, tridymite)	14808-60-7	0.025 mg/m ^{3 a}	0.05 mg/m ³	0.05 mg/m ³	N/A
Copper, dusts & mists (as Cu)	1317-38-0	1 mg/m³ b	1 mg/m³ b	1 mg/m³ ^c	N/A
Zinc oxide, dust & fume	1314-13-2	2 mg/m³ a	5mg/m³	5 mg/m³	0.1 mg/m3 R
Boron oxide	1303-86-2	N/A	15 mg/m ^{3 d}	10 mg/m ³	N/A
N/A – Not applicable R – Measured as respirable fractions of the aerosol			 a Respirable b Dusts & mis c Except fum d Total dust 	- 	

8.2 Exposure Controls:

Appropriate engineering controls

 No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required. In case of dust formation use a respirator with an approved filter.

8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

Respiratory: Use appropriate respiratory protection when handling to minimize exposure to dust particles.

Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

Eyes/Face: If contact is likely, safety glasses with side shields are recommended. An eyewash bottle or

station should be available in the workplace. Wear a face shield if splash or spray is likely.

Hands: Use good industrial hygiene practices to avoid skin contact. If contact with the material may

occur, wear chemically protective gloves.

Body/Skin: Wear chemically impervious gloves, coveralls, apron, boots as necessary to minimize contact.

Do not wear rings, watches or similar apparel that could entrap the material.

Thermal Hazards: None known.

Environmental Exposure

Controls: Not available.

HygieneObserve good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse. When using the

product do not eat, drink or smoke.

Section 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

Appearance: Physical state: Form: Color: Odor:	Dry Powder Powder See section 1.1 Not available	Partition Coefficient n-octanol/water: Auto-ignition temperature:	Not available Not available
pH (as supplied):	Not available	Decomposition temperature:	Not available
Freezing point:	Not available	Dynamic viscosity:	Not available
Boiling point:	Not available	Molecular weight:	Not available
Flash point:	Not available	Taste:	Not available
Evaporation rate:	Not available	Explosive properties:	Not available
Flammability:	Not available	Oxidizing properties:	Not available
Upper/lower explosive limits:	Not available	Surface tension:	Not available
Vapor pressure:	Not available	Volatile ingredient:	Not available
Water solubility:	Not available	Gas group:	Not available
Vapor density (Air = 1):	Not available	pH (as solution):	Not available
Specific gravity (Water = 1):	Not available	VOC:	Not available
Relative density:	Not available	Particle size range:	Not available

9.2 Other information

No data available

Section 10 – Stability and Reactivity

10.1 Reactivity

• This material is not considered to be reactive under normal handling and storage conditions.

10.2 Chemical stability

This material is considered stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

Not expected to occur under normal handling and storage conditions.

10.4 Conditions to avoid

- Exposure to high temperatures
- Strong acids
- Strong bases
- Strong oxidisers

10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidizing agents
- Strong reducing agents

10.6 Hazardous decomposition products

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other
products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion,
burning, or decomposition of dry solids.

Section 11 – Toxicological Information

11.1. Information on hazard classes:

Likely routes of exposure: Skin/eye contact, inhalation of dusts.

Potential signs and symptoms:

Acute oral toxicity: The product is practically nontoxic based on available animal and human use

data. ATE is >5000 mg/kg.

Acute dermal toxicity: The product is practically non-toxic based on available animal and human use

data. ATE is >5000 mg/kg.

Acute inhalation toxicity: The product is practically non-toxic based on available animal and human use

data. ATE is >5 mg/L (dust).

Skin corrosion/irritation: The ingredients in this product >1% are not corrosive to the skin or skin irritants

based on human and/or animal studies.

Serious eye damage/irritation: Feldspar (CAS No. 68476-25-5) has been classified for eye irritation

(Category 2). Product classification is not warranted for eye irritation based on a review of available data. The other ingredients in this product >1% are not damaging to the eyes or eye irritants based on human and/or animal studies.

Mechanical irritation may occur if powder gets into the eyes.

Respiratory or skin sensitization: Cobalt (II, III) oxide (CAS No. 1308-06-1) has been classified for respiratory

sensitization (Category 1B). Product classification is not warranted for respiratory sensitization based on a review of the available data and the form of cobalt present in the product (*i.e.*, cobalt is bound to a matrix/complex which reduces the availability of cobalt in the body). The other ingredients in this product >0.1% are not sensitizing to the skin or respiratory system based on

human and/or animal studies.

Mutagenicity: The ingredients in this product >0.1% are not mutagenic based on animal

studies or no data identified for the ingredients in this product.

Carcinogenicity: Quartz (crystalline silica) (airborne, unbound particles of respirable size)

(CAS No. 14808-60-7) has been classified for carcinogenicity (Category 1). Product classification is warranted for carcinogenicity based on the concentration of quartz in the product and the nature of the product

(*i.e.*, powder). Quartz (crystalline silica) [listed as silica dust, crystalline, in the form of quartz or cristobalite (CAS No. 14808-60-7)] is listed as a carcinogen by IARC, NTP and ACGIH. The other ingredients in the product >0.1% are not carcinogenic based on animal studies or no data identified for the ingredients in

this product.

Reproductive toxicity: Boron oxide (CAS No. 1303-86-2) has been classified for reproductive toxicity

(Category 1B; may damage fertility or the unborn child); however, product classification is not warranted given that the hazardous boron is completely incorporated into the glassy structure of the frit (chemically reacted in the form of silicates or other essentially insoluble complexes). The other ingredients in this product >0.1% are not reproductive toxicants based on animal studies, or no

data identified for the ingredients in this product.

Specific target organ toxicity

(single exposure):

Cupric oxide (CAS No. 1317-38-0) has been classified for specific target organ toxicity (single exposure, Category 2; may cause irritation to the gastrointestinal tract through oral exposure). Product classification is warranted for this effect given the concentration of cupric oxide in the product and a review of available data. Zinc oxide (CAS No. 1314-13-2) has also been classified for specific target organ toxicity (single exposure, Category 2; may cause irritation to the gastrointestinal tract through oral exposure). Zinc oxide does not contribute to the gastrointestinal irritation effect given the concentration of zinc in the product and the intended use of the product (*i.e.*, powder diluted in water). Feldspar (CAS No. 68476-25-5) has been classified for specific target organ toxicity

(single exposure, Category 3; may cause respiratory irritation). Product classification is not warranted for this effect based on a review of available data. The other ingredients in this product >1% are not single exposure specific target organ toxicity (single exposure) hazards based on animal studies or no data identified for the ingredients in this product

Specific target organ toxicity (repeated exposure):

Quartz (crystalline silica) (CAS No. 14808-60-7) has been classified for specific target organ toxicity (repeated exposure, Category 1; causes damage to lungs through prolonged or repeated exposure *via* inhalation). Product classification is warranted for specific target organ toxicity (repeated exposure, Category 2; may cause damage to organs through prolonged or repeated exposure) given the concentration of quartz in the product and the nature of the product (*i.e.*, powder). Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis). The other ingredients in this product >1% are not repeated exposure specific target organ toxicity hazards based on available information, human and/or animal studies.

Aspiration hazard:

The ingredients of this product >1% are not aspiration hazards based on animal studies or no data identified for the ingredients in this product.

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database.

https://echa.europa.eu/search-for-chemicals

IARC (International Agency for Research on Cancer). 2025. Agents Classified by the IARC Monographs, Volumes 1-129. https://monographs.iarc.who.int/list-of-classifications/

NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. https://ntp.niehs.nih.gov/go/roc15

Section 12 – Ecological Information

12.1 Toxicity

 Environmental hazards are outside the scope of OSHA. Based on the criteria outlined in the 10th revision of the GHS, the product is classified for acute and chronic aquatic toxicity (Category 1).

Chemical Name	CAS No.	Species	Result
Cobalt (II, III) oxide	1308-06-1	Oncorhynchus mykiss	LC ₅₀ : 0.8 mg Co/L
		Danio rerio	LC _{50:} 85 mg Co/L
		Cladoceran	LC _{50:} 0.61 mg Co/L
		Lemna minor	EC _{50:} 52 μg/L
Currie evide a h	1217 20 0		L(E)C ₅₀ : 34.4 μg Cu/L
Cupric oxide a, b	1317-38-0 -	-	NOEC: 14.9 μg Cu/L
Zinc oxide	1314-13-2	Danio rerio	LC ₅₀ (96h): 1.55 mg/L (bulk ZnO) nominal EC ₅₀ (84h): 2.066 mg/L (bulk ZnO) nominal
		Daphnia magna	EC ₅₀ (48h): > 5 - < 16.2 mg/L (bulk ZnO) nominal
		Daphnia magna	EC ₅₀ (48h): >1.4 - <2.5 mg/L nominal
		Freshwater Alga and Cyanobacteria	EC ₁₀ (72h): 0.42 mg/L nominal

According to Regulation (EC) No. 1272/2008 (CLP), M=100 for acute aquatic effects and M=10 for chronic aquatic effects.

12.2 Persistence and degradability

No data available for the ingredients in the product.

12.3 Bioaccumulative potential

 Cobalt does not biomagnify, but rather exhibits biodilution, particularly in upper levels of both aquatic and terrestrial food chains. Cobalt (II, III) oxide (CAS No. 1308-06-1) has a bioconcentration factor of 180 – 4000.

b The lowest species-specific acute L(E)C₅₀ and chronic NOEC values across pHs were selected as final environmental classification reference values.

12.4 Mobility in Soil

- Cupric oxide (CAS No. 1317-38-0) is very slightly [K_d= 2120 L/kg (log Kp (pm/w) = 3.33) (50th percentile)] mobile in soils.
- No data available for the other ingredients in the product.

12.5 Results of PBT and vPvB assessment

The ingredients in this product are not considered PBT or vPvB.

12.6 Other adverse effects

No further data available.

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database. https://echa.europa.eu/search-for-chemicals

Section 13 – Disposal Considerations

13.1 Waste treatment methods

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Dispose of waste in accordance with local, regional, national, and/or international regulations. The empty container has residues which may exhibit hazards of the product.

Contaminated Packaging: Container packaging may exhibit hazards.

Section 14 – Transport Information

Note: This product is not regulated as dangerous goods for transport. Substances when carried in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids are not subject to any other provisions of ADR provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. Should the single or inner packaging condition or provisions not be met, transportation restrictions will need to be revisited.

Review classification requirements before shipping materials at elevated temperatures.

14.1 UN number	Not applicable
14.2 UN proper shipping name	Not applicable
14.3 Transport hazard class(es):	Not applicable
14.4 Packing group	Not applicable
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Maritime transport in bulk according to IMO instruments	Not applicable

Special precautions for use: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15 – Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in **Section 3 – Composition / Information on Ingredients**.

United States

Federal Regulations:

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

No ingredients in this product >0.1% are subject to reporting under CERCLA.

Clean Water Act (CWA): Zinc compounds are listed by the CWA as toxic pollutants. No other ingredients in this product are listed as toxic pollutants.

Clean Air Act (CAA): No ingredients in this product are listed under the CAA.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA 302 Ingredients: No ingredients in this product are subject to reporting requirements of S.302.

SARA 304 Emergency Release Notification: None.

SARA 311/312 Hazards: None.

SARA 313 Ingredients: Copper compounds and aluminum oxide (CAS No. 1344-28-1) is subject to reporting requirements of S.313. No other ingredients in this product are subject to reporting requirements of S.313.

Toxic Substances Control Act (TSCA): Bentonite (CAS No. 1302-78-9) is not listed on the TSCA. All other ingredients are listed on the non-confidential TSCA inventory or are exempt.

State Regulations:

California: Quartz (crystalline silica) [(listed as silica, crystalline (airborne particles of respirable size)], arsenic [listed as arsenic (inorganic arsenic compounds)], beryllium (listed as beryllium and beryllium compounds), cadmium (listed as cadmium/cadmium and cadmium compounds), cobalt/cobalt (II, III) oxide [cobalt (II) oxide], chromium VI [listed as chromium (hexavalent compounds)], mercury (listed as mercury and mercury compounds), nickel (listed as nickel oxide), lead (listed as lead/lead and lead compounds), and selenium sulfide are listed on the California Proposition 65 List, as a chemical known to the State of California to cause cancer and/or reproductive/developmental toxicity. The product contains respirable particles of <10 µm in size. Therefore, the listed form of quartz (crystalline silica) is relevant for the product. Cobalt is listed on the California Proposition 65 List as a chemical known to the State of California to cause cancer; however, a screening assessment indicates that the concentration of cobalt in the product is not expected to be a cause for concern and require warnings for the purpose of California Proposition 65. A screening assessment indicates that the concentrations of arsenic, beryllium, cadmium, cobalt, chromium, mercury, nickel, lead, and selenium sulfide in the product are not expected to be a cause for concern and require warnings for the purpose of California Proposition 65. No other ingredients in this product are listed.

International:

IARC: Quartz (crystalline silica) (CAS No. 14808-60-7), arsenic (listed as arsenic and inorganic arsenic compounds), beryllium (listed as beryllium and beryllium compounds), cadmium (listed as cadmium and cadmium compounds), chromium [listed as chromium (VI) compounds], and nickel compounds are listed in Group 1, carcinogenic to humans. Cobalt oxide (CAS No. 1308-06-1) (listed as cobalt (II, III) oxide), and mercury (listed as mercury and inorganic mercury compounds) areclassified as Group 3, not classifiable as to its carcinogenicity to humans. No other ingredients of this product are classified with respect to carcinogenicity.

15.2 Chemical Safety Assessment

None available for the ingredients in this product.

Section 16 - Other Information

ACMI seal

The product, DRY STONEWARE GLAZES [BLACK WALNUT (SD104), MIRROR BLACK (SD132), RAINFOREST (SD185), IVY (SD193), GREEN TEA (SD108), MIDNIGHT RAIN (SD115), AURORA GREEN (SD146), MOONSCAPE (SD147), SAND & SEA (SD167), NIGHT MOTH (SD181), BLUE OPAL (SD252), MICRO JADE (SD216)], must be properly labeled for known health risk (*i.e.*, gastrointestinal irritation as a result of acute oral exposure) and should reflect the ACMI CL Seal.



List of acronyms and abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists	N/A: Not applicable
ATE: Acute Toxicity Estimate	NOEC: No Observed Effect Concentration
CAA: Clean Air Act	NIOSH: National Institute for Occupational Safety & Health
CAS: Chemical Abstract Service Number	NTP: National Toxicology Program
CERCLA: Comprehensive Environmental Response and Liability Act	OSHA: Occupational Safety and Health Administration
CL: Cautionary Labelling	PBT: Persistent, Bioaccumulative and Toxic
CFR: Code of Federal Regulations	PEL: Permissible Exposure Level
CWA: Clean Water Act	PPE: Personal Protective Equipment
DFG MAK: Deutsche Forschungsgemeinschaf Maximale	REACH: Registration, Evaluation, Authorisation and
Arbeitsplatzkonzentration	Restriction of Chemicals
EC: European Commission	REL: Recommended exposure level
EC ₁₀ : 10% effect concentration	SARA: Superfund Amendment and Reauthorization Act
EC ₅₀ : Median effective concentration	SDS: Safety Data Sheet
ECHA: European Chemicals Agency	TLV: Threshold limit value
GHS: Global Harmonized System	TSCA: Toxic Substances Control Act
IARC: International Agency for Research on Cancer	TWA: Time-weighted average
IMO: International Maritime Organization	UN: United Nations
LC ₅₀ : Lethal Concentration 50%	VOC: Volatile Organic Compound
MARPOL: Maritime Pollution	vPvB: very Persistent, very Bioaccumulative

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database.

https://echa.europa.eu/search-for-chemicals

IARC (International Agency for Research on Cancer). 2025. Agents Classified by the IARC Monographs, Volumes 1-129. https://monographs.iarc.who.int/list-of-classifications/

NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. https://ntp.niehs.nih.gov/go/roc15

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a 4th revision Safety Data Sheet.

Creation Date: August 28, 2020

Revision Date: February 17, 2025