



Stroke & Coats

SAFETY DATA SHEET (SDS)

Version: 01

Date of Issue: September 29, 2023

According to: OSHA Hazard Communication Standard
29 CFR 1910.1200(g) Rev. 2012

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name: Stroke & Coats

Product Colors: Pink-A-Boo, Melon-Choly, Wine About It, Tiger Tail, Sunkissed, Leapin' Lizard, Just Froggy, Jaded, Teal Next Time, Blue Yonder, Moody Blue, Grapel, Java Bean, Tuxedo, Cotton Tail, Cheeky Pinky, Rosey Posey, Cashew Later, Jack O'Lantern, Dandelion, Crackerjack Brown, Green Thumb, Sour Apple, Blue Isle, Blue Grass, Blue Dawn, The Blues, Bluebeard, Fruit Of The Vine, Down To Earth, Gray Hare, Irish Luck, Ivory Tower, Army Surplus, Blueberry Hill, Brown Cow, Butter Me Up, Lettuce Alone, My Blue Heaven, Rawhide, Camel Back, Orange Ya Happy, Poo Bear, Toad-ily Green, Purple Haze, Vanilla Dip, Yella Bout It, 501 Blues, Silver Lining, Peri-Twinkle, Pink-A-Dot, Purple-Licious, Grape Jelly, Candy Apple Red, Hot Tamale, Orange-A-Peel, Carabein Blue, Glo-Worm, Lime Light, It's Sage, Basketball, Cinnamon Stix, Tip Taupe, Orkid, Old Lace, Ruby Slippers, Tu Tu Tango, Cutie Pie Coral, Elephant Ears, Seabreeze, Café Olé, Honeydew List, Pinkie Swear, Aqu-ward, Cant-elope, Slime Time, Char-ming, Makin Me Blush, Spruce It Up, Just Peachy, Lavendear, Grape Expectations

Product Sizes: 2 oz, 8 oz, 16 oz, 128 oz

Other Means of Identification: None known

Product Description: Colored liquid glaze formulations intended to be applied using a brush and placed in a kiln for glaze firing.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s): The product is intended for general (adults) arts and crafts purposes.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Mayco Colors
4077 Weaver Court South
Hilliard, OH 43026 USA

Business Phone: 614-876-1171

Email: info@maycocolors.com

1.4 Emergency telephone number

Emergency Telephone: Contact the local poison control centre.

Section 2 – Hazard(s) Identification

2.1. Classification of the substance or mixture

According to: OSHA Hazard Communication Standard 29 CFR 1910.1200(g) Rev. 2012

Physical	Health	Environmental ^{a, b}
Not classified	Not classified	Chronic aquatic toxicity (Category 3) (H412)

^a Aquatic toxicity classifications only apply to the colors: Tiger Tail, Java Bean, Crackerjack Brown, Down to Earth, Brown Cow, Camel Back, Cinnamon Stix, Elephant Ears, Café Olé, Honeydew List.

^b Environmental hazards are outside the scope of OSHA; therefore, product classification for chronic aquatic toxicity

(Category 3) is not mandatory.

2.2. Label elements

Label Pictogram: None required

Signal Word: Warning

Hazard statements:

Colors: Tiger Tail, Java Bean, Crackerjack Brown, Down to Earth, Brown Cow, Camel Back, Cinnamon Stix, Elephant Ears, Café Olé, Honeydew List

**Chronic aquatic toxicity
(Category 3) (H412)**

Harmful to aquatic life with long lasting effects.

P273: Avoid release to the environment.

P501: Dispose of contents/container in accordance with local, regional, national, and/or international regulation.

2.3. Other hazards

- No other hazards have been identified for this product.

Section 3 – Composition / Information on Ingredients

3.1 Substances

The product is a mixture and not a substance.

3.2 Mixtures

Chemical Name	CAS No.	EC No.	% Concentration ^a	GHS Hazards
Zinc oxide	1314-13-2	215-222-5	up to 1.30%	H371: Specific target organ toxicity (single exposure, Category 2, gastrointestinal tract) H400: Acute aquatic toxicity (Category 1) H410: Chronic aquatic toxicity (Category 1)
Crystalline silica	14808-60-7	238-878-4	up to 5.30%	H350: Carcinogenicity (Category 1) (Inhalation); H372: Specific target organ toxicity (repeated exposure, Category 1, lungs)
Titanium dioxide	13463-67-7	236-675-5	up to 0.159%	H351: Carcinogenicity (Category 2) (Inhalation)

^a Concentrations are calculated as a maximum across all products, rather than by color.

The other ingredients in the product are either considered non-hazardous or are below their respective GHS cut-off values/concentration limits in the final product and were therefore not disclosed in the SDS.

It should be noted that the product may contain crystalline silica (CAS No.14808-60-7) and titanium dioxide (CAS No. 13463-67-7) which may be hazardous when inhaled. Given the nature and physical form of the product (i.e., liquid) airborne respirable particles would not likely be released from the product and therefore the hazard is not relevant to the product.

Assessment of this product was based on the assumption that the glaze will not be sanded after it has been fired in the kiln.

Section 4 – First Aid Measures

4.1 Description of first aid measures

Eye contact: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. Seek medical attention if in doubt.

Skin contact: No specific first aid measures are required. If irritation occurs, wash with plenty of water and soap. Take off contaminated clothing. If skin irritation persists: Get medical advice/attention.

Inhalation: No specific first aid measures are required. Inhalation route of exposure is not anticipated with intended use. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Seek medical attention if in doubt.

Ingestion: No specific first aid measures are required. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to **Section 11 - Toxicological Information**.

4.3 Indication of any immediate medical attention and special treatment needed

- Not required.

Section 5 – Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, foam, dry chemical or carbon dioxide).

Unsuitable Extinguishing Media: None known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

- Irritating vapours or fumes may form if product is involved in fire:
- Also see **Section 10 - Stability and Reactivity**.

5.3 Advice for firefighters

- Wear a self-contained breathing apparatus to protect against potentially irritating vapours or fumes.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in **Section 8 – Exposure Controls/Personal Protection**.

Emergency Procedures: Not available.

6.2 Environmental precautions:

- Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Collect recoverable product and place in a designated container for recycle and/or disposal. Ventilate contaminated area thoroughly. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

- Refer to **Section 8 - Exposure Controls/Personal Protection** and **Section 13 – Disposal Considerations**.

Section 7– Handling and Storage

7.1 Precautions for safe handling

- Wash hands thoroughly after handling.
- Wash contaminated clothing before reuse.
- Employees should be trained in the safe use and handling of chemical materials.
- Refer to **Section 8 - Exposure Controls/Personal Protection**.

7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed to avoid spills.
- Keep in a cool dry place.

7.3 Specific end use(s)

- Refer to **Section 1.2 - Relevant identified uses**.

Section 8– Exposure Controls / Personal Protection

8.1 Control Parameters:

Occupational exposure limits: Only vapours were considered to be foreseeable under conditions of normal use. Airborne particles, such as dust, are not foreseeable under conditions of normal use.

Chemical Name	CAS No.	ACGIH TLV TWA	OSHA PEL TWA	NIOSH REL TWA	DFG MAKs TWA
Crystalline silica	14808-60-7	0.025 mg/m ³ R	0.05 mg/m ³	0.05 mg/m ³	N/A
Kaolin	1332-58-7	2 mg/m ³ R	15 mg/m ³ ^a 5 mg/m ³ ^b	10 mg/m ³ ^c 5 mg/m ³ ^d	N/A
Zinc oxide	1314-13-2	2 mg/m ³ R	15 mg/m ³ ^c 5 mg/m ³ ^d	5 mg/m ³ (dust only)	0.1 mg/m ³ R
Titanium dioxide	13463-67-7	10 mg/m ³	15 mg/m ³ ^a	N/A	0.3 mg/m ³ ^e R
^a Total dust			^d Respirable		
^b Respirable fraction			^e Multiplied with the material density		
^c Total			R Measured as respirable fraction of the aerosol		

8.2 Exposure Controls:

Appropriate engineering controls

- No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required.

8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

Respiratory: Under normal conditions of use, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

Eyes/Face: If contact is likely, safety glasses with side shields are recommended.

Hands: Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur, wear chemically protective gloves.

Body/Skin: Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material.

Thermal Hazards: None known.

**Environmental
Exposure**

Controls: Not available.

**Hygiene
measures:**

Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse. When using the product do not eat, drink or smoke.

Section 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

Appearance: Physical state: Colour: Odour/Odour threshold:	Liquid See Section 1.1 Not available	Partition Coefficient n-octanol/water: Auto-ignition temperature:	Not available Not available
pH (as supplied):	8 – 9	Decomposition temperature:	Not available
Melting/freezing point:	32°F	Dynamic viscosity:	Not available
Boiling point and boiling range:	100°F	Molecular weight:	Not available
Flash point:	Not available	Taste:	Not available
Evaporation rate:	Not available	Explosive properties:	Not available
Flammability:	Not available	Oxidizing properties:	Not available
Upper/lower explosive limits:	Not available	Surface tension:	Not available
Vapor pressure:	Not available	Volatile component:	Not available
Water solubility:	Not available	Gas group:	Not available
Vapor density (Air = 1):	Not available	pH (as solution):	Not available
Specific gravity (Water = 1):	Not available	VOC:	Not available
Relative density:	Not available	Particle size range:	Not available

9.2 Other information

- No further data available.

Section 10 – Stability and Reactivity

10.1 Reactivity

- This material is not considered to be reactive under normal handling and storage conditions.

10.2 Chemical stability

- This material is considered stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

- Not expected to occur under normal handling and storage conditions.

10.4 Conditions to avoid

- Exposure to high temperatures
- Strong acids
- Strong bases
- Strong oxidisers

10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidisers
- Strong reducing agents.

10.6 Hazardous decomposition products

- Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids.

Section 11 – Toxicological Information

11.1 Information on hazard classes

Likely routes of exposure: Skin contact.

Potential signs and symptoms: None expected under conditions of normal use.

Acute oral toxicity:	The product is practically non-toxic based on available animal and human use data. Oral ATE >5000 mg/kg
Acute dermal toxicity:	The product is practically non-toxic based on available animal and human use data. Dermal ATE >5000 mg/kg
Acute inhalation toxicity:	The product is practically nontoxic based on available animal and human use data.
Skin corrosion/irritation:	The components >1% of this product are not corrosive to the skin or skin irritants based on human and/or animal studies.
Serious eye damage/irritation:	The components of this product >1% are not damaging to the eyes or eye irritants based on available human and/or animal studies.
Respiratory or skin sensitization:	The components in this product are not sensitizing to the skin based on human and/or animal studies.
Mutagenicity:	The components in the product >0.1% are not mutagenic based on animal studies or no data identified for the components in this product.
Carcinogenicity:	Crystalline silica (airborne, unbound particles of respirable size) (CAS No. 14808-60-7) has been classified for carcinogenicity (Category 1). Titanium dioxide (CAS No. 13463-67-7) (airborne, unbound particles of respirable size) has been classified for carcinogenicity (Category 2). Product classification is not warranted based on a review of available data and the nature of the product (<i>i.e.</i> , liquid). Crystalline silica [listed as silica dust, crystalline, in the form of quartz or cristobalite (CAS No. 14808-60-7)] is listed as a carcinogen by IARC, NTP and ACGIH. Respirable titanium dioxide (CAS No. 13463-67-7) is listed in Group 2B by IARC. Titanium dioxide is also listed as a carcinogen by ACGIH. Given the nature and physical form of the product (<i>i.e.</i> , liquid) airborne respirable particles would not likely be released from the product and therefore the hazard is not relevant to the product. The other components in the product >0.1% are not carcinogenic based on animal studies or no data identified for the components in this product.
Reproductive Toxicity:	The components in the product >0.1% are not reproductive toxicants based on animal studies or no data identified for the components in this product.
Specific target organ toxicity (single exposure):	The components in the product >1% are not specific target organ toxicity (single exposure) toxicants based on animal studies or no data identified for the components in this product.

Specific target organ toxicity (repeated exposure):

Zinc oxide (CAS No. 1314-13-2) has been classified for specific target organ toxicity (repeated exposure, Category 2; may cause irritation to the gastrointestinal tract through oral exposure). Product classification is not warranted for this effect based on the concentration present in the product. Crystalline silica (CAS No. 14808-60-7) classified for specific target organ toxicity (repeated exposure, Category 1; causes damage to lungs through prolonged or repeated exposure via inhalation); however, classification is not warranted based on a review of available data and the nature of the product (*i.e.* liquid). The other components in this product >1% are not repeated exposure specific target organ toxicity hazards based on available information, human and/or animal studies.

Aspiration hazard:

The components in the product >1% are not aspiration hazards based on animal studies or no data identified for the components in this product.

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database. <https://echa.europa.eu/search-for-chemicals>
IARC (International Agency for Research on Cancer). 2023. Agents Classified by the IARC Monographs, Volumes 1–129. <https://monographs.iarc.who.int/list-of-classifications/>
NTP (National Toxicology Program). 2023. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: Official Journal of the European Union. 2008. Regulation (EC) No 1272/2008. <http://data.europa.eu/eli/reg/2008/1272/2022-03-01>
U.S. Department of Health and Human Services, Public Health Service. <https://ntp.niehs.nih.gov/go/roc14>

Section 12 – Ecological Information

12.1 Toxicity

- Product is classified for acute and chronic aquatic toxicity (Category 3).

Chemical Name	CAS No.	Species	Value
Zinc oxide	1314-13-2	Danio rerio	LC ₅₀ (96h): 1.793 mg/L (bulk ZnO) nominal EC ₅₀ (84h): 2.066 mg/L (bulk ZnO) nominal
		Danio rerio	NOEC (32d): ≥540 µg/L nominal
		Daphnia magna	EC ₅₀ (48h): >1.4 - <2.5 mg/L nominal
		Daphnia magna	EC ₁₀ (21d): 127 µg/L nominal EC ₁₀ (21d): 195 µg/L nominal

12.2 Persistence and degradability

- No data available for the other components of the product.

12.3 Bioaccumulative potential

- No data available.

12.4 Mobility in Soil

- No data available.

12.5 Results of PBT and vPvB assessment

- No data available.

12.6 Endocrine disrupting properties

- This product is not expected to be endocrine disrupting.

12.7 Other adverse effects

- No further data available.

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database. <https://echa.europa.eu/search-for-chemicals>

13.1 Waste treatment methods

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Dispose of waste in accordance with local, regional, national, and/or international regulations. The empty container has residues which may exhibit hazards of the product.

Contaminated Packaging: Container packaging is not expected to exhibit hazards.

Section 14 – Transport Information

Note: This product is not regulated as dangerous goods for transport.

14.1 UN number	Not applicable
14.2 UN proper shipping name	Not applicable
14.3 Transport hazard class(es):	Not applicable
14.4 Packing group	Not applicable
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Maritime transport in bulk according to IMO instruments	Not applicable

Section 15 – Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in **Section 3 – Composition / Information on Ingredients**.

United States

Federal Regulations:

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

No components in this product >0.1% are subject to reporting under CERCLA.

Clean Water Act (CWA): Cadmium compounds, and zinc compounds are listed by the CWA as toxic pollutants. No other components in this product are listed as toxic pollutants.

Clean Air Act (CAA): No components in this product are listed under the CAA.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA 302 Components: No components in this product are subject to reporting requirements of S.302.

SARA 304 Emergency Release Notification: No components in this product are subject to reporting requirements of S.304.

SARA 311/312 Hazards: No components in this product are subject to reporting requirements of S.311/312.

SARA 313 Components: Cadmium, lead, methanol (CAS No. 67-56-1), nitrilotriacetic acid (CAS No. 139-13-9) are subject to reporting requirements of S.313. No other components in this product are subject to reporting requirements of S.313.

Toxic Substances Control Act (TSCA): Silica, amorphous (CAS No. 112945-52-5) and silicic acid, zirconium salt, cadmium pigment-encapsulated (CAS No. 102184-95-2) are not listed on the TSCA. All other components are listed on the non-confidential TSCA inventory or are exempt.

State Regulations:

California Proposition 65 List: Cadmium, lead, methanol (CAS No. 67-56-1) and nitrilotriacetic acid (CAS No. 139-13-9) are listed on the Proposition 65 List. A screening assessment indicates that the levels of these chemicals in the products does not warrant warnings for the purpose of California Proposition 65. Crystalline silica (CAS No. 14808-60-7) [listed as silica, crystalline (airborne particles of respirable size)] and titanium dioxide (CAS No. 13463-67-7) (airborne, unbound particles of respirable size) are listed on the Proposition 65 List. Given the nature/physical form of the product (*i.e.*, liquid) airborne respirable particles would not likely be released from this product and therefore the listed form of silica, crystalline and titanium dioxide is not relevant for the product. No other components in this product are listed on the Proposition 65 List.

International:

IARC: Crystalline silica (CAS No. 14808-60-7) (listed as silica dust, crystalline, in the form of quartz or cristobalite) and cadmium and cadmium compounds are listed as Group 1, carcinogenic to humans. Titanium dioxide (CAS No. 13463-67-7), nitrilotriacetic acid (CAS No. 139-13-9) (listed as nitrilotriacetic acid and its salts), and lead are classified as Group 2B, possibly carcinogenic to humans. Cobalt oxide (CAS No. 1308-06-1) (listed as cobalt (II,III) oxide), iron oxide (CAS No. 1309-37-1) (listed as ferric oxide) and crystalline silica (CAS No. 7631-86-9) (listed as silica, amorphous) are classified as Group 3, not classifiable as to its carcinogenicity to humans. No other components in this product are classified with respect to carcinogenicity.

15.2 Chemical Safety Assessment

- None available for the components in this product.

Section 16 – Other Information

List of acronyms and abbreviations:

ACGIH: American conference of Governmental Hygenists	NIOSH: National Institute for Occupational Safety & Health
ATE: Acute Toxicity Estimate	OSHA: Occupational Safety and Health Administration
CAA: Clean Air Act	PBT: Persistent, Bioaccumulative and Toxic
CAS: Chemical Abstract Service Number	PEL: Permissible Exposure Level
CERCLA: Comprehensive Environmental Response and Liability Act	PPE: Personal Protective Equipment
CWA: Clean Water Act	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
DFG MAK: Deutsche Forschungsgemeinschaft Maximale Arbeitsplatzkonzentration	REL: Recommended exposure level
EC: European Commission	SARA: Superfund Amendment and Reauthorization Act
ECHA: European Chemicals Agency	SDS: Safety Data Sheet
GHS: Global Harmonized System	TLV: Threshold limit value
IARC: International Agency for Research on Cancer	TSCA: Toxic Substances Control Act
IBC: International Bulk Chemical	TWA: Time-weighted average
IMO: International Maritime Organization	UN: United Nations
MARPOL: Maritime Pollution	VOC: Volatile Organic Compound
N/A: Not applicable	vPvB: very Persistent, very Bioaccumulative

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database.

<https://echa.europa.eu/search-for-chemicals>

IARC (International Agency for Research on Cancer). 2023. Agents Classified by the IARC Monographs, Volumes 1–129. <https://monographs.iarc.who.int/list-of-classifications/>

NTP (National Toxicology Program). 2023. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <https://ntp.niehs.nih.gov/go/roc14>

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a new Safety Data Sheet.

Creation Date: September 29, 2023